

References

- Abbie AA. Cortical lamination in the Monotremata. *J Comp Neurol* 1940;72:428–467.
- Abbie AA. Cortical lamination in a poliprodont marsupial, *Parameles natusa*. *J Comp Neurol* 1942;76:509–536.
- Aggelopoulos N, Parnavelas JG, Edmunds S. Synaptogenesis in the dorsal lateral geniculate nucleus of the rat. *Anat Embryol* 1989; 180:243–257.
- Altar CA, O'Neil S, Walter Jr. RJ, Marshall JF. Brain dopamine and serotonin receptor sites revealed by digital subtraction autoradiography. *Science* 1985;228:597–600.
- Altman J. Proliferation and migration of undifferentiated precursor cells in the rat during postnatal gliogenesis. *Exp Neurol* 1966;16:263–278.
- Altman J. Postnatal development of the cerebellar cortex in the rat. I. The external germinal layer and the transitional molecular layer. *J Comp Neurol* 1972;145:353–398.
- Altman J. Experimental reorganization of the cerebellar cortex. III. Regeneration of the external germinal layer and granule cell ectopia. *J Comp Neurol* 1973;149:153–180.
- Altman J. Postnatal development of the cerebellar cortex in the rat. IV. Spatial organization of bipolar cells, parallel fibers and glial palisades. *J Comp Neurol* 1975a;163:427–448.
- Altman J. Effects of interference with cerebellar maturation on the development of locomotion. An experimental model of neurobehavioral retardation. In: Buchwald NA, Brazier MAB, eds. *Brain Mechanisms in Mental Retardation*, (UCLA Forum in Medical Sciences, No. 18). New York: Academic Press, 1975b;41–91.
- Altman J. Morphological development of the rat cerebellum and some of its mechanisms. In: Palay S, Chan-Palay V, eds. *The Cerebellum—New Vistas*. Berlin: Springer, 1982;8–49.
- Altman J. An animal model of minimal brain dysfunction. In: Lewis M, ed. *Learning Disabilities and Prenatal Risk*. Urbana: University of Illinois Press, 1986;241–304.
- Altman J. Morphological and behavioral markers of environmentally induced retardation of brain development: an animal model. *Envir Health Persp* 1987;74:153–168.
- Altman J, Anderson WJ, Wright KA. Selective destruction of precursors of microneurons of the cerebellar cortex with fractionated low-dose x-rays. *Exp Neurol* 1967;17:481–497.
- Altman J, Anderson WJ, Wright KA. Differential radiosensitivity of stationary and migratory primitive cells in the brains of infant rats. *Exp Neurol* 1968;22:52–74.
- Altman J, Bayer SA. Development of the diencephalon in the rat. V. Thymidine-radiographic observations on internuclear and intranuclear gradients in the thalamus. *J Comp Neurol* 1979;188:473–500.
- Altman J, Bayer SA. Development of the brain stem in the rat. I. Thymidine-radiographic study of the time of origin of neurons of the lower medulla. *J Comp Neurol* 1980a;194:1–35.
- Altman J, Bayer SA. Development of the brain stem in the rat. II. Thymidine-radiographic study of the time of origin of neurons of the upper medulla, excluding the vestibular and auditory nuclei. *J Comp Neurol* 1980b;194:37–56.
- Altman J, Bayer SA. Development of the brain stem in the rat. IV. Thymidine-radiographic study of the time of origin of neurons in the pontine region. *J Comp Neurol* 1980c;194:905–929.
- Altman J, Bayer SA. Development of the brain stem in the rat. V. Thymidine-radiographic study of the time of origin of neurons in the midbrain tegmentum. *J Comp Neurol* 1981;198:677–716.
- Altman J, Bayer SA. *The Development of the Rat Spinal Cord*, Advances in Anatomy, Embryology and Cell Biology, vol. 85. Berlin: Springer Verlag, 1984;1–116.
- Altman J, Bayer SA. Development of the rat thalamus. I. Mosaic organization of the thalamic neuroepithelium. *J Comp Neurol* 1988a; 275:346–377.
- Altman J, Bayer SA. Development of the rat thalamus. II. Time and site of origin and settling pattern of neurons derived from the anterior lobule of the thalamic neuroepithelium. *J Comp Neurol* 1988b; 275:378–405.
- Altman J, Bayer SA. Development of the rat thalamus. IV. The intermediate lobule of the thalamic neuroepithelium, and the time and site of origin and settling pattern of neurons of the ventral nuclear complex. *J Comp Neurol* 1989a;284:534–566.
- Altman J, Bayer SA. Development of the rat thalamus. V. The posterior lobule of the thalamic neuroepithelium, and the time and site of origin and settling pattern of neurons of the medial geniculate body. *J Comp Neurol* 1989b;284:567–580.
- Altman J, Bayer SA. Development of the rat thalamus. VI. The posterior lobule of the thalamic neuroepithelium, and the time and site of origin and settling pattern of neurons of the lateral geniculate and lateral posterior nuclei. *J Comp Neurol* 1989c;284:581–601.
- Altman J, Bayer SA. Vertical compartmentation and cellular transformations in the germinal matrices of the embryonic rat cerebral cortex. *Exp Neurol* 1990a;107:23–35.
- Altman J, Bayer SA. Horizontal compartmentation in the germinal matrices and intermediate zone of the embryonic rat cerebral cortex. *Exp Neurol* 1990b;107:36–47.
- Altman J, Bayer SA. Developmental changes in the cell stratification of the rat neocortical neuroepithelium and transitional field. (1991a; submitted)
- Altman J, Bayer SA. Regional differences in the population of putative layer V pyramidal cells that sojourn in the intermediate zone of the rat neocortex. (1991b; submitted)
- Altman J, Bayer SA. Regional differences in the population of putative granular and supragranular cells that sojourn in the subventricular zone of the rat neocortex. (1991c; submitted)
- Altman J, Carpenter MB. Fiber projections of the superior colliculus in the cat. *J Comp Neurol* 1961;116:157–177.
- Altman J, Nicholson JL. Cell pyknosis in the cerebellar cortex of infant rats following low-level x-irradiation. *Radiation Res* 1971;46:476–489.
- Andrés F. Early substitution of whiskerpad by dorsal skin, cornea and palm of forepaw thoroughly modifies structure of barrelfield in mice. *Anat Embryol* 1985;173:157–161.
- Angel A, Clarke KA. An analysis of the representation of the forelimb in the ventrobasal thalamic complex of the albino rat. *J Physiol, Lond* 1975;249:399–423.
- Angevine JB, Sidman RL. Autoradiographic study of cell migration during histogenesis of cerebral cortex in the mouse. *Nature* 1961;192:766–768.

- Ariens Kappers CU, Huber GC, Crosby EC. *The Comparative Anatomy of the Nervous System of Vertebrates, Including Man*, 3 vols. New York: Macmillan, 1936.
- Armstrong-James M, Fox K. Spatiotemporal convergence and divergence in the rat S1 "barrel" cortex. *J Comp Neurol* 1987;263:265-281.
- Arvidsson J. Somatotopic organization of vibrissae afferents in the trigeminal sensory nuclei of the rat studied by transganglionic transport of HRP. *J Comp Neurol* 1982;211:84-92.
- Asanuma C, Ohkawa R, Stanfield BB, Cowan WM. Observations on the development of certain ascending inputs to the thalamus in rats. I. Postnatal development. *Dev Brain Res* 1988;41:159-170.
- Audet MA, Descarries L, Doucet G. Quantified regional and laminar distribution of the serotonin innervation in the anterior half of adult rat cerebral cortex. *J Chem Neuroanat* 1989;2:29-44.
- Austin CP, Cepko CL. Cellular migration patterns in the developing mouse cerebral cortex. *Development* 1990;110:713-732.
- Azimitia EC, Segal M. An autoradiographic analysis of the differential ascending projections of the dorsal and median raphe nuclei in the rat. *J Comp Neurol* 1978;179:641-668.
- Barde YA. Trophic factors and neuronal survival. *Neuron* 1989;2:1525-1534.
- Basbaum AI, Hand PJ. Projections of cervicothoracic dorsal roots to the cuneate nucleus of the rat, with observations on cellular "bricks." *J Comp Neurol* 1973;148:347-360.
- Bates CA, Killackey HP. The emergence of a discretely distributed pattern of corticospinal projecting neurons. *Dev Brain Res* 1984;13:265-273.
- Bayer SA. Development of the hippocampal region in the rat. I. Neurogenesis examined with [³H]thymidine autoradiography. *J Comp Neurol* 1980a;190:87-114.
- Bayer SA. Development of the hippocampal region in the rat. II. Morphogenesis during embryonic and early postnatal life. *J Comp Neurol* 1980b;190:115-134.
- Bayer SA. Quantitative [³H]thymidine radiographic analyses of neurogenesis in the rat amygdala. *J Comp Neurol* 1980c;194:845-875.
- Bayer SA. Changes in the total number of dentate granule cells in juvenile and adult rats: A correlated volumetric and [³H]thymidine autoradiographic study. *Exp Brain Res* 1982;46:315-323.
- Bayer SA. Neurogenesis of the magnocellular basal telencephalic nuclei in the rat. *Int J Dev Neurosci* 1985;3:229-243.
- Bayer SA. Neurogenesis in the rat primary olfactory cortex. *Int J Dev Neurosci* 1986;4:251-271.
- Bayer SA. Neurogenetic patterns in the medial limbic cortex of the rat related to anatomical connections with the thalamus and striatum. *Exp Neurol* 1990a;107:132-142.
- Bayer SA. Development of the lateral and medial limbic cortices in the rat in relation to cortical phylogeny. *Exp Neurol* 1990b;107:118-131.
- Bayer SA, Altman J. Hippocampal development in the rat: cytogenesis and morphogenesis examined with autoradiography and low-level x-irradiation. *J Comp Neurol* 1974;158:55-80.
- Bayer SA, Altman J. The effects of x-irradiation on the postnatally-forming granule cell populations in the olfactory bulb, hippocampus, and cerebellum of the rat. *Exp Neurol* 1975a;48:167-174.
- Bayer SA, Altman J. Radiation-induced interference with postnatal hippocampal cytogenesis in rats and its long-term effects on the acquisition of neurons and glia. *J Comp Neurol* 1975b;163:1-20.
- Bayer SA, Altman J. Development of layer I and the subplate in the rat neocortex. *Exp Neurol* 1990;107:48-62.
- Bayer SA, Altman J, Dai X, Humphreys L. Planar differences in nuclear area and orientation in the subventricular and intermediate zones of the rat embryonic neocortex. *J Comp Neurol* 1991a (in press).
- Bayer SA, Altman J, Russo RJ, Dai X, Simmons JA. Cell migration in the rat embryonic neocortex. *J Comp Neurol* 1991b (in press).
- Bayer SA, Yackel JW, Puri PS. Neurons in the rat dentate gyrus granular layer substantially increase during juvenile and adult life. *Science* 1982;216:890-892.
- Beckstead RM. An autoradiographic examination of corticocortical and subcortical projections of the medio-dorsal projection (prefrontal) cortex in the rat. *J Comp Neurol* 1979;184:43-62.
- Beckstead RM, Domesick VB, Nauta WJH. Efferent connections of the substantia nigra and ventral tegmental area in the rat. *Brain Res* 1979;175:191-217.
- Belford GR, Killackey HP. Anatomical correlates of the forelimb in the ventrobasal complex of the cuneate nucleus of the neonatal rat. *Brain Res* 1978;158:450-455.
- Belford GR, Killackey HP. Vibrissae representation in subcortical trigeminal centers of the neonatal rat. *J Comp Neurol* 1979;183:305-322.
- Benda CE. *Developmental Disorders of Mentation and Cerebral Palsies*. New York: Grune and Stratton, 1952.
- Bernardo KL, Woolsey TA. Axonal trajectories between mouse somatosensory thalamus and cortex. *J Comp Neurol* 1987;258:542-564.
- Berry M. Development of the cerebral neocortex of the rat. In: Gottlieb G, ed. *Aspects of Neurogenesis*, vol. 2. New York: Academic Press, 1974;7-67.
- Berry M. Cellular differentiation: development of dendritic arborizations under normal and experimentally altered conditions. In: Rakic P, Goldman-Rakic PS, eds. *Development and Modifiability of the Cerebral Cortex*. *Neurosci Res Prog Bull* 1982;20:439-451.
- Berry M, Rogers AW. The migration of neuroblasts in the developing cerebral cortex. *J Anat* 1965;99:691-709.
- Berry M, Rogers AW, Eayrs JT. Pattern of cell migration during cortical histogenesis. *Nature* 1964;203:591-593.
- Bigl V, Woolf NJ, Butcher LL. Cholinergic projections from the basal forebrain to frontal, parietal, temporal, occipital, and cingulate cortices: A combined fluorescent tracer and acetylcholinesterase analysis. *Brain Res Bull* 1982;8:727-749.
- Bisconte JC, Marty R. Etude quantitative due marquage radioautographique dans le système nerveux du Rat. II. Caractéristiques finales dans le cerveau de l'animal adulte: lois d'interprétation et concept de chronoarchitecture corticale. *Exp Brain Res* 1975;22:37-56.
- Björklund A, Lindvall O. The meso-telencephalic dopamine neuron system: A review of its anatomy. In: Livingston KE, Hornykiewicz O, eds. *Limbic Mechanisms: The Continuing Evolution of the Limbic System Concept*. New York: Plenum Press, 1978;307-331.
- Boulder Committee. Embryonic vertebrate central nervous system: revised terminology. *Anat Rec* 1970;166:257-262.
- Bradford R, Parnavelas JG, Lieberman AR. Neurons in layer I of the developing occipital cortex of the rat. *J Comp Neurol* 1977;176:121-132.
- Bresler NC. Klinische und pathologisch-anatomische Beiträge zur Mikroyre. *Arch f Psychiatr* 1899;31:566-573.
- Brodman K. *Vergleichende Lokalisationslehre der Grosshirnrinde*. Leipzig: Barth, 1909.
- Brysch W, Brysch I, Creutzfeldt OD, Schlingensiepen R, Schlingensiepen K-H. The topology of the thalamo-cortical projections in the marmoset monkey (*Callithrix jacchus*). *Exp Brain Res* 1990;81:1-17.
- Brückner G, Mareš V, Biesold D. Neurogenesis in the visual system of the rat. An autoradiographic investigation. *J Comp Neurol* 1976;166:245-256.
- Bunt SM, Lund RD, Land PW. Prenatal development of the optic projection in albino and hooded rats. *Dev Brain Res* 1983;6:149-168.
- Burkhalter A. Intrinsic connections of rat primary visual cortex: laminar organization of axonal projections. *J Comp Neurol* 1989;279:171-186.
- Butler AB, Caley DW. An ultrastructural and radioautoradiographic study of the migrating neuroblast in hamster neocortex. *Brain Res* 1972;44:83-97.
- Cabana T, Martin GF. Corticospinal development in the North American opossum: evidence for a sequence in the growth of cortical axons in the spinal cord and for transient projections. *Dev Brain Res* 1985;23:69-80.
- Cabana T, Martin GF. The development of projections from somatic motor-sensory areas of neocortex to the diencephalon and brainstem in the North American opossum. *J Comp Neurol* 1986;251:506-516.
- Cajal SR y. Textura de las circonvoluciones cerebrales de los mamíferos inferiores. Nota preventiva. Gaceta médica Catalana del 15 de Diciembre 1890. (Quoted from Retzius, 1893).
- Cajal SR y. *Histologie du Système Nerveux de l'homme et des Vertébrés*, vol. II. Madrid: Instituto Ramon y Cajal, 1911.
- Campbell AW. *Histological Studies on the Localisation of Cerebral Function*. Cambridge: Cambridge University Press, 1905.
- Carey RG, Rieck RW. Topographic projections to the visual cortex from the basal forebrain in the rat. *Brain Res* 1987;424:205-215.

- Carter DA, Fibiger HC. Ascending projections of presumed dopamine-containing neurons in the ventral tegmentum of the rat as demonstrated by horseradish peroxidase. *Neuroscience* 1977;2:569–576.
- Carvell GE, Simons DJ. Thalamic and corticocortical connections of the second somatic sensory area of the mouse. *J Comp Neurol* 1987;265:409–427.
- Catalano S, Killackey HP. Ingrowth of thalamocortical axons into embryonic rat neocortex. *Soc Neurosci Abstr* 1990;16:1007.
- Cavanagh ME, Parnavelas JG. Development of somatostatin immunoreactive neurons in the rat occipital cortex: a combined immunocytochemical-autoradiographic study. *J Comp Neurol* 1988;268:1–12.
- Cavanagh ME, Parnavelas JG. Development of vasoactive-intestinal polypeptide immunoreactive neurons in rat occipital cortex: a combined immunohistochemical-autoradiographic study. *J Comp Neurol* 1989;284:637–645.
- Caviness VS. Neocortical histogenesis in normal and reeler mice: a developmental study based upon [³H]thymidine autoradiography. *Dev Brain Res* 1982;4:293–302.
- Caviness VS, Frost DO. Tangential organization of thalamic projections to the neocortex in the mouse. *J Comp Neurol* 1980;194:335–367.
- Caviness VS, Korde MG. Monoaminergic afferents to the neocortex: a developmental histofluorescence study in normal and reeler mouse embryos. *Brain Res* 1981;209:1–9.
- Caviness VS, Sidman RL. Time of origin of corresponding cell classes in the cerebral cortex of normal and reeler mutant mice: an autoradiographic analysis. *J Comp Neurol* 1973;148:141–151.
- Cechetto DF, Saper CB. Evidence for a viscerotopic sensory representation in the cortex and thalamus in the rat. *J Comp Neurol* 1987;262:27–45.
- Chapin JK, Lin CS. Mapping the body representation in the SI cortex of anesthetized and awake rats. *J Comp Neurol* 1984;229:199–213.
- Chimelli L, Scaravilli F. The development of the gracile nucleus in the rat: the time of ingrowth of ascending primary sensory fibers and effect of early deafferentation. *Neuroscience* 1987;22:661–670.
- Chmielowska J, Carvell GE, Simons DJ. Spatial organization of thalamocortical and corticothalamic projection systems in rat SmI barrel cortex. *J Comp Neurol* 1989;285:325–328.
- Chun JJ, Nakamura MJ, Shatz CJ. Transient cells of the developing mammalian telencephalon are peptide-immunoreactive neurons. *Nature* 1987;325:617–620.
- Chun JJM, Shatz CJ. A fibronectin-like molecule is present in the developing cat cerebral cortex and is correlated with subplate neurons. *J Cell Biol* 1988;106:857–872.
- Cleaver JE. *Thymidine Metabolism and Cell Kinetics*. New York: Elsevier, 1967.
- Cliffer KD, Giesler Jr. GJ. Postsynaptic dorsal column pathway of the rat. III. Distribution of ascending afferent fibers. *J Neurosci* 1989;9:3146–3168.
- Cobas A, Fairen A. GABAergic neurons of different morphological classes are cogenerated in the mouse barrel cortex. *J Neurocytol* 1988;17:511–519.
- Colonnier ML. The structural design of the cerebral cortex. In: Eccles JC, ed. *Brain and Conscious Experience*. New York: Springer, 1966;1–23.
- Condes-Lara M, Zapata IO, Leon-Olea M, Sanchez-Alvarez M. Dorsal raphe and nociceptive stimulations evoke convergent responses on the thalamic centralis lateralis and medial prefrontal cortex neurons. *Brain Res* 1989;499:145–152.
- Conover WJ. *Practical Nonparametric Statistics*. New York: John Wiley, 1971.
- Conrad LCA, Leonard CM, Pfaff DW. Connections of the median and dorsal raphe nuclei in the rat: an autoradiographic and degeneration study. *J Comp Neurol* 1974;156:179–206.
- Conti F, Rustioni A, Petrusz P, Towle AC. Glutamate-positive neurons in the somatic sensory cortex of rats and monkeys. *J Neurosci* 1987;7:1887–1901.
- Cooper NGF, Steindler DA. Lectins demarcate the barrel subfield in the somatosensory cortex of the early postnatal mouse. *J Comp Neurol* 1986a;249:157–169.
- Cooper NGF, Steindler DA. Monoclonal antibody to glial fibrillary acidic protein reveals a parcellation of individual barrels in the early postnatal mouse somatosensory cortex. *Brain Res* 1986b;380:341–348.
- Cooper NGF, Steindler DA. Critical period-dependent alterations of the transient body image in the rodent cerebral cortex. *Brain Res* 1989;489:167–176.
- Cowan WM, Powell TPS. An experimental study of the relations between the medial mammillary nucleus and the cingulate cortex. *Proc Roy Soc Series B* 1954;143:114–125.
- Crandall JE, Caviness VS. Axon strata in the cerebral wall in embryonic mice. *Dev Brain Res* 1984;14:185–195.
- Crandall JE, Herrup K. Patterns of cell lineage in the cerebral cortex reveal evidence for developmental boundaries. *Exp Neurol* 1990;109:131–139.
- Crandall JE, Whitcomb JM, Caviness Jr. VS. Development of the spino-medullary projection from the mouse barrel field. *J Comp Neurol* 1985;239:205–215.
- Creutzfeldt OD. Generality of the functional structure of the neocortex. *Naturwissenschaften* 1977;64:507–517.
- Crossland WJ, Unchwat J. Neurogenesis in the central visual pathways of the golden hamster. *Dev Brain Res* 1982;5:99–103.
- Cruickshank WM, ed. *Cerebral Palsy: A Developmental Disorder*. Syracuse: Syracuse University Press, 1976.
- Dahlstrom A, Fuxe K. Evidence for the existence of monoamine-containing neurons in the central nervous system. I. Demonstration of monoamines in the cell bodies of brain stem neurons. *Acta Physiol Scand (Suppl)* 1964;232:1–55.
- D'Amato CJ, Hicks SP. Development of the motor system: effects of radiation on developing corticospinal neurons and locomotor function. *Exp Neurol* 1980;70:1–23.
- Darian-Smith C, Darian-Smith I, Cheema SS. Thalamic projections to sensorimotor cortex in the newborn macaque. *J Comp Neurol* 1990;299:47–63.
- Dawson DR, Killackey HP. Distinguishing topography and somatopy in the thalamocortical projections of the developing rat. *Dev Brain Res* 1985;17:309–313.
- Dawson DR, Killackey HP. The organization and mutability of the forepaw and hindpaw representations in the somatosensory cortex of the neonatal rat. *J Comp Neurol* 1987;256:246–256.
- Deacon TW, Eichenbaum H, Rosenberg P, Eckmann KW. Afferent connections of the perirhinal cortex in the rat. *J Comp Neurol* 1983;220:168–190.
- DeFelipe J, Jones EG, eds. *Cajal on the Cerebral Cortex*. New York: Oxford University Press, 1988.
- DeMeyer W. Holoprosencephaly (cyclopia-arhinencephaly). In: Vinken PJ, Bruyn GW, Myrianthopoulos NC, eds. *Congenital Malformations of the Brain and Skull*, part 1, vol. 30, *Handbook of Clinical Neurology*. Amsterdam: North Holland, 1977;431–478.
- Derer P. Histogenèse du neocortex du Rat albinos durant la période foetale et néonatale. *J Hirnforsch* 1974;15:49–74.
- Derer P, Nakanishi S. Extracellular matrix distribution during neocortical wall ontogenesis in “normal” and “reeler” mice. *J Hirnforsch* 1983;24:209–224.
- Descarries L, Lemay B, Doucet G, Berger B. Regional and laminar density of the dopamine innervation in adult rat cerebral cortex. *Neuroscience* 1987;21:807–824.
- Dinopoulos A, Eadie LA, Dori I, Parnavelas JG. The development of basal forebrain projections to the rat visual cortex. *Exp Brain Res* 1989;76:563–571.
- Divac I. Magnocellular nuclei of the basal forebrain project to neocortex brain stem and olfactory bulb. Review of some functional correlates. *Brain Res* 1975;93:385–398.
- Divac I. Patterns of subcortico-cortical projections as revealed by somatopetal horseradish peroxidase tracing. *Neuroscience* 1979;4:455–461.
- Divac I, Björklund A, Lindvall O, Passingham RE. Converging projections from the mediodorsal thalamic nucleus and mesencephalic dopaminergic neurons to the neocortex in three species. *J Comp Neurol* 1978;180:59–72.
- Domesick VB. The fasciculus cinguli in the rat. *Brain Res* 1970;20:19–32.
- Domesick VB. Thalamic relationships of the medial cortex in the rat. *Brain Behav Evol* 1972;6:457–483.
- Donatelle JM. Growth of the corticospinal tract and the development of placing reactions in the postnatal rat. *J Comp Neurol* 1977;175:207–232.
- Donoghue JP, Ebner FF. The organization of thalamic projections to

- the parietal cortex of the virginia opossum. *J Comp Neurol* 1981; 198:365-388.
- Donoghue JP, Kerman KL, Ebner FF. Evidence for two organizational plans within the somatic sensory-motor cortex of the rat. *J Comp Neurol* 1979;183:647-664.
- Donoghue JP, Parham C. Afferent connections of the lateral agranular field of rat motor cortex. *J Comp Neurol* 1983;217:390-404.
- Donoghue JP, Sanes JN. Peripheral nerve injury in developing rats reorganizes representation pattern in motor cortex. *Proc Natl Acad Sci* 1987;84:1123-1126.
- Dori I, Parnavelas JG. The cholinergic innervation of rat cerebral cortex shows two distinct phases of development. *Exp Brain Res* 1989;76:417-423.
- Dori I, Petrou M, Parnavelas JG. Excitatory transmitter amino acid-containing neurons in rat visual cortex: a light and electron microscopic immunocytochemical study. *J Comp Neurol* 1989;290:169-184.
- Dräger UC. Autoradiography of tritiated proline and fucose transported transneurally from the eye to the visual cortex in pigmented and albino mice. *Brain Res* 1974;82:284-292.
- Eadie LA, Parnavelas JG, Franke E. Development of the ultrastructural features of somatostatin-immunoreactive neurons in the rat visual cortex. *J Neurocytol* 1987;16:445-459.
- Economo C von, Koskinas GN. *Zellaufbau der Grosshirnrinde des Menschen*. Berlin: Springer, 1927.
- Edwards MA, Yamamoto M, Caviness Jr. VS. Organization of radial glia and related cells in the developing murine CNS. An analysis based upon a new monoclonal antibody marker. *Neuroscience* 1990;36:121-144.
- Emmers R. Organization of the first and second somesthetic regions (SI and SII) in the rat thalamus. *J Comp Neurol* 1965;124:215-227.
- Erzurumlu RS, Jhaveri S. Thalamic axons confer a blueprint of the sensory periphery onto the developing rat somatosensory cortex. *Dev Brain Res* 1990;56(2):229-234.
- Erzurumlu RS, Killackey HP. Development of order in the rat trigeminal system. *J Comp Neurol* 1983;213:365-380.
- Escalpez M, Campistrion G, Trotter S. Immunocytochemical localization and morphology of GABA-containing neurons in the prefrontal and frontoparietal cortex of the rat. *Neurosci Lett* 1987;77:131-136.
- Espinosa SG, Thomas HC. Retinotopic organization of striate- and extrastriate visual cortex in the hooded rat. *Brain Res* 1983;272:137-144.
- Fairen A, Cobas A, Fonseca M. Times of generation of glutamic acid decarboxylase immunoreactive neurons in mouse somatosensory cortex. *J Comp Neurol* 1986;251:67-83.
- Fallon JH, Koziell DA, Moore RY. Catecholamine innervation of the basal forebrain. II. Amygdala, suprarhinal cortex and entorhinal cortex. *J Comp Neurol* 1978;180:509-532.
- Fallon JH, Moore RY. Catecholamine innervation of the basal forebrain. IV. Topography of the dopamine projection to the basal forebrain and neostriatum. *J Comp Neurol* 1978;180:545-580.
- Faull RL, Mehler WR. Thalamus. In: Paxinos G, ed. *The Rat Nervous System, vol. 1: Forebrain and Midbrain*. Sydney: Academic Press, 1985;129-168.
- Faye-Lund H. The neocortical projection to the inferior colliculus in the albino rat. *Anat Embryol* 1985;173:53-70.
- Feinendegen LE. *Tritium-Labeled Molecules in Biology and Medicine*. New York: Academic Press, 1967.
- Feldman SG, Kruger L. An axonal transport study of the ascending projection of medial lemniscal neurons in the rat. *J Comp Neurol* 1980;192:427-454.
- Fernandez V. An autoradiographic study of the development of the anterior thalamic group and limbic cortex in the rabbit. *J Comp Neurol* 1969;136:423-452.
- Fernandez V, Bravo H. Autoradiographic study of development of the cerebral cortex in the rabbit. *Brain Behav Evol* 1974;9:317-332.
- Ferrer I, Xumetra A, Santamaria J. Cerebral malformations induced by prenatal x-irradiation: an autoradiographic and Golgi study. *J Anat* 1984;138:81-93.
- Finch DM, Derian EL, Babb TL. Excitatory projection of the rat subicular complex to the cingulate cortex. *Brain Res* 1984a;301:25-37.
- Finch DM, Derian EL, Babb TL. Afferents to rat cingulate cortex. *Exp Neurol* 1984b;83:468-485.
- Fishell G, Rossant J, van der Kooy D. Neuronal lineages in chimeric mouse forebrain are segregated between compartments and in the rostrocaudal and radial planes. *Dev Biol* 1990;141:70-83.
- Fitzpatrick KA, Imig TJ. Organization of auditory connections. The primate auditory cortex. In: Woolsey CN, ed. *Cortical Sensory Organization, vol. 3, Multiple Auditory Areas*. Clifton, NJ: Humana Press, 1982;71-109.
- Foote SL, Morrison JH. Extrathalamic modulation of cortical function. *Ann Rev Neurosci* 1987;10:67-95.
- Foster RE, Donoghue JP, Ebner FF. Laminar organization of efferent cells in the parietal cortex of the virginia opossum. *Exp Brain Res* 1981;43:330-336.
- Friauf E, McConnell SK, Shatz CJ. Functional synaptic circuits in the subplate during fetal and early postnatal development of cat visual cortex. *J Neurosci* 1990;10:2601-2613.
- Friede RL. *Developmental Neuropathology*, 2nd ed. Berlin: Springer, 1989.
- Frost DD, Caviness VS. Radial organization of thalamic projections to the neocortex in the mouse. *J Comp Neurol* 1980;194:369-393.
- Fuchs JL. [¹²⁵I] alpha-bungarotoxin binding marks primary sensory areas of developing rat neocortex. *Brain Res* 1989;501:223-234.
- Fujimiyama M, Kimura H, Maeda T. Postnatal development of serotonin nerve fibers in the somatosensory cortex of mice studied by immunohistochemistry. *J Comp Neurol* 1986;246:191-201.
- Fukushima T, Kerr FWL. Organization of trigeminothalamic tracts and other thalamic afferent systems of the brainstem in the rat. Presence of gelatinosa neurons with thalamic connections. *J Comp Neurol* 1979;183:169-184.
- Furchtgott E. Ionizing radiations and the nervous system. In: Gaull GE, ed. *Biology of Brain Dysfunction*. New York: Plenum, 1975; 343-379.
- Gadisseeu JF, Evrard P. Glial neuronal relationship in the developing central nervous system: a histochemical electron microscope study of radial glial cell particulate glycogen in normal and reeler mice and the human fetus. *Dev Neurosci* 1985;7:12-32.
- Gadisseeu JF, Evrard P, Misson JP, Caviness VS. Dynamic structure of the radial glial fiber system of the developing murine cerebral wall. An immunocytochemical analysis. *Dev Brain Res* 1989;50:55-67.
- Galli L, Maffei L. Spontaneous impulse activity of rat retinal ganglion cells in prenatal life. *Science* 1988;242:90-91.
- Gerfen CR, Clavier RM. Neural inputs to the prefrontal agranular insular cortex in the rat: horseradish peroxidase study. *Brain Res Bull* 1979;4:347-353.
- Gilbert CD, Wiesel TN. Morphology and intracortical projections of functionally characterized neurons in the cat visual cortex. *Nature* 1979;280:120-125.
- Godfraind C, Schachner M, Goffinet AM. Immunohistological localization of cell adhesion molecules L1, J1, N-CAM and their common carbohydrate L2 in the embryonic cortex of normal mice. *Dev Brain Res* 1988;42:99-111.
- Goffinet AM. Events governing organization of postmigratory neurons: studies on brain development in normal and reeler mice. *Brain Res Rev* 1984;7:261-296.
- Golden GS. Embryologic demonstration of a nigrostriatal projection in the mouse. *Brain Res* 1972;44:278-282.
- Gorgels TGMF. A quantitative analysis of axon outgrowth, axon loss, and myelination in the rat pyramidal tract. *Dev Brain Res* 1990;54:51-61.
- Gorgels TGMF, DeKort EJM, VanAanholt HTH, Nieuwenhuys R. A quantitative analysis of the development of the pyramidal tract in the cervical spinal cord of the rat. *Anat Embryol* 1989;179:377-385.
- Gray EG, Glover JC, Majors J, Sanes JR. Radial arrangement of clonally related cells in the chicken optic tectum: lineage analysis with a recombinant retrovirus. *Proc Natl Acad Sci USA* 1988;85:7356-7360.
- Greatrex RM, Phillipson OT. Demonstration of synaptic input from prefrontal cortex to the habenula in the rat. *Brain Res* 1982;238:192-197.
- Groenewegen H. Organization of the afferent connections of the mediodorsal thalamic nucleus in the rat, related to the mediodorsal prefrontal topography. *Neuroscience* 1988;24:379-431.
- Guldin WO, Markowitsch HJ. Cortical and thalamic afferent connections of the insular and adjacent cortex of the rat. *J Comp Neurol* 1983;215:135-153.

- Hall RD, Lindholm EP. Organization of motor and somatosensory cortex in the albino rat. *Brain Res* 1974;66:23–28.
- Hartgraves SL, Mensah PL, Kelly PH. Regional decreases of cortical choline acetyltransferase after lesions of the septal area and in the area of nucleus basalis magnocellularis. *Neuroscience* 1982;7:2369–2376.
- Hatai S. Observations on the developing neurones of the cerebral cortex of foetal cats. *J Comp Neurol* 1902;12:199–204.
- Hayhow WR, Sefton A, Webb C. Primary optic centers of the rat in relation to the terminal distribution of the crossed and uncrossed optic nerve fibers. *J Comp Neurol* 1962;118:295–307.
- Heffner CD, Lumsden AGS, O'Leary DDM. Target control of collateral extension and directional axonal growth in the mammalian brain. *Science* 1990;247:217–220.
- Herkenham M. Laminal organization of thalamic projections to the rat neocortex. *Science* 1980;207:532–535.
- Herrick CJ. *The Brain of the Tiger Salamander*. Chicago: University of Chicago Press, 1948.
- Hickey TL, Spear PD. Retinogeniculate projections in hooded and albino rats: an autoradiographic study. *Exp Brain Res* 1976;24:523–529.
- Hicks SP, D'Amato CJ. How to design and build abnormal brains using radiation during development. In: Fields WS, Desmond MM, eds. *Disorders of the Developing Nervous System. Early Influences*. Springfield, IL: Thomas, 1961;60–97.
- Hicks SP, D'Amato CJ. Effects of ionizing radiations on mammalian development. In: Woollam DHM, ed. *Advances in Teratology*. London: Logos Press, 1966;195–250.
- Hicks SP, D'Amato CJ. Cell migrations to the isocortex in the rat. *Anat Rec* 1968;160:619–634.
- Hicks SP, D'Amato CJ. Motor-sensory cortex-corticospinal system and developing locomotion and placing in rats. *Am J Anat* 1975;143:1–42.
- Hicks SP, D'Amato CJ. Effects of ionizing radiation on developing brain and behavior. In: Gottlieb G, ed. *Studies on the Development of Behavior and the Nervous System*. New York: Academic Press, 1978;35–72.
- Hinds JW. Autoradiographic study of histogenesis in the mouse olfactory bulb. II. Cell proliferation and migration. *J Comp Neurol* 1968;134:305–322.
- Hinds JW, Ruffett TL. Cell proliferation in the neural tube: an electron microscopic and Golgi analysis in the mouse cerebral vesicle. *Z Zellforsch* 1971;115:226–264.
- His W. Die Neuroblasten und deren Entstehung im embryonalen Marke. *Abh Math Phys Cl, Kgl Sächs Ges Wiss* 1889;15:313–372.
- Horikawa K, Kinjo N, Stanley LC, Powell EN. Topographic organization and collateralization of the projections of the anterior and laterodorsal thalamic nuclei to cingulate areas 24 and 29 in the rat. *Neurosci Res* 1988;6:31–44.
- Huang LYM. Origin of thalamically projecting somatosensory relay neurons in the immature rat. *Brain Res* 1989;495:108–114.
- Hubel DH, Wiesel TN. Receptive fields and functional architecture of two nonstriate visual areas (18 and 19) of the cat. *J Neurophysiol* 1965;28:229–289.
- Hubel DH, Wiesel TN. An anatomical demonstration of columns in the monkey striate cortex. *Nature* 1969;221:747–750.
- Hughes HC. Anatomical and neurobehavioral investigations concerning the thalamo-cortical organization of the rat's visual system. *J Comp Neurol* 1977;175:311–336.
- Isaacson RL. *The Limbic System*. New York: Plenum, 1974.
- Jackson CA, Peduzzi JD, Hickey TL. Visual cortex development in the ferret. I. Genesis and migration of visual cortical neurons. *J Neurosci* 1989;9:1242–1253.
- Jacobson S, Trojanowski JQ. Corticothalamic neurons and thalamo-cortical terminal fields: an investigation in rat using horseradish peroxidase and autoradiography. *Brain Res* 1975;85:385–401.
- Jeffrey G. Retinal ganglion cell death and terminal field retraction in the developing rodent visual system. *Dev Brain Res* 1984;13:81–96.
- Jensen KF, Altman J. The contribution of late-generated neurons to the callosal projection in the rat: a study with prenatal x-irradiation. *J Comp Neurol* 1982;209:113–122.
- Jensen KF, Killackey HP. Subcortical projections from ectopic neocortical neurons. *Proc Natl Acad Sci* 1984;81:964–968.
- Jensen KF, Killackey HP. Terminal arbors of axon projecting to the somatosensory cortex of the adult rat. I. The normal morphology of specific thalamocortical afferents. *J Neurosci* 1987;7:3529–3543.
- Johnston JG, van der Kooy D. Protooncogene expression identifies a transient columnar organization of the forebrain within the late embryonic ventricular zone. *Proc Natl Acad Sci* 1989;86:1066–1070.
- Johnston MJ, McKinney M, Coyle JT. Neocortical cholinergic innervation: a description of extrinsic and intrinsic components in the rat. *Exp Brain Res* 1981;43:159–172.
- Jones BE, Moore RY. Ascending projections of the locus coeruleus in the rat. II. Autoradiographic study. *Brain Res* 1977;127:23–54.
- Joosten EAJ, Gribnau AAM. Astrocytes and guidance of outgrowing corticospinal tract axons in the rat. An immunocytochemical study using anti-vimentin and anti-glial fibrillary acidic protein. *Neuroscience* 1989;31:439–452.
- Joosten EAJ, Gribnau AAM, Dederen JWC. An anterograde tracer study of the developing corticospinal tract in the rat: three components. *Dev Brain Res* 1987;36:121–130.
- Joosten EA, Gribnau AAM, Dederen JWC. Postnatal development of the corticospinal tract in the rat. An ultrastructural HRP study. *Anat Embryol* 1989;179:449–452.
- Joosten EAJ, Van Eden CG. An anterograde tracer study on the development of corticospinal projections from the medial prefrontal cortex in the rat. *Dev Brain Res* 1989;45:313–319.
- Kalil K. Development and plasticity of the sensorimotor cortex and pyramidal tract. In: Rowe M, Willis WD, eds. *Development, Organization and Processing in Somatosensory Pathways*. New York: Liss, 1985;87–96.
- Kalsbeek A, Buijs RM, Hofman MA, Matthijssen MAH, Pool CW, Uylings HBM. Effects of neonatal thermal lesioning of the mesocortical dopaminergic projection on the development of the rat prefrontal cortex. *Dev Brain Res* 1987;32:123–132.
- Kalsbeek A, Feenstra MGP, van Galen H, Uylings HBM. Monoamine and metabolite levels in the prefrontal cortex and the mesolimbic forebrain following neonatal lesions of the ventral tegmental area. *Brain Res* 1989;479:339–343.
- Kalsbeek A, Voorn P, Buijs RM, Pool CW, Uylings HBM. Development of the dopaminergic innervation in the prefrontal cortex of the rat. *J Comp Neurol* 1988;269:58–72.
- Kaufman SL. Lengthening of the generation cycle during embryonic differentiation of the mouse neural tube. *Exp Cell Res* 1968;49:420–424.
- Keller A, White EL. Synaptic organization of GABAergic neurons in the mouse SmI cortex. *J Comp Neurol* 1987;262:1–12.
- Kelly PH, Moore KE. Decrease of neocortical choline acetyltransferase after lesion of the globus pallidus in the rat. *Exp Neurol* 1978;61:479–484.
- Kershman J. The medulloblast and the medulloblastoma: a study of human embryos. *Arch Neurol Psychiat* 1938;40:937–967.
- Killackey HP. Anatomical evidence for cortical subdivisions based on vertically discrete thalamic projections from the ventral posterior nucleus to cortical barrels in the rat. *Brain Res* 1973;51:326–331.
- Killackey HP. Intrinsic order in the developing rat trigeminal system. In: Rowe M, Willis WD, eds. *Development, Organization and Processing in Somatosensory Pathways*. New York: Liss, 1985;43–51.
- Killackey HP, Belford GR. The formation of afferent patterns in the somatosensory cortex of the neonatal rat. *J Comp Neurol* 1979;183:285–304.
- Killackey H, Ebner F. Convergent projection of three separate thalamic nuclei on to a single cortical area. *Science* 1973;179:283–285.
- Killackey HP, Leshin S. The organization of specific thalamocortical projections to the posteromedial barrel subfield of the rat somatosensory cortex. *Brain Res* 1975;86:469–472.
- Koh S, Loy R. Localization and development of nerve growth factor sensitive rat basal forebrain neurons and their afferent projections to hippocampus and neocortex. *J Neurosci* 1989;9:2999–3018.
- König N, Marty R. Early neurogenesis and synaptogenesis in cerebral cortex. *Biblioteca Anat* 1981;19:152–160.
- König N, Roche G, Marty R. The onset of synaptogenesis in rat temporal cortex. *Anat Embryol* 1975;148:73–87.
- König N, Valat J, Fulcrand J, Marty R. The time of origin of Cajal-Retzus cells in the rat temporal cortex. An autoradiographic study. *Neurosci Lett* 1977;4:21–26.
- Kosar E, Grill HJ, Norgren R. Gustatory cortex in the rat. II. Thalamocortical projections. *Brain Res* 1986;379:342–352.

- Kostovic I, Rakic P. Cytology and time of origin of interstitial neurons in the white matter in infant and adult human and monkey telencephalon. *J Neurocytol* 1980;9:219-242.
- Kostovic I, Rakic P. Developmental history of the transient subplate zone in the visual and somatosensory cortex of the macaque monkey and human brain. *J Comp Neurol* 1990;297:441-470.
- Krayanek S. Structure and orientation of extracellular matrix in developing chick optic tectum. *Anat Rec* 1980;197:95-109.
- Krayanek S, Goldberg S. Oriented extracellular channels and axonal guidance in the embryonic chick retina. *Dev Biol* 1981;84:41-50.
- Krettek JE, Price JL. A direct input from the amygdala to the thalamus and cerebral cortex. *Brain Res* 1974;67:169-174.
- Krettek JE, Price JL. The cortical projections of the mediodorsal nucleus and adjacent thalamic nuclei in the rat. *J Comp Neurol* 1977;171:157-192.
- Krieg WJS. Connections of the cerebral cortex. I. The albino rat. A. Topography of the cortical areas. *J Comp Neurol* 1946a;84:221-275.
- Krieg WJS. Connections of the cerebral cortex. I. The albino rat. B. Structure of the cortical areas. *J Comp Neurol* 1946b;84:277-323.
- Krist DA. Development of connections within sensory cortex. In: Rowe M, Willis WD, eds. *Development, Organization, and Processing in Somatosensory Pathways*. New York: Liss, 1985;69-77.
- Krist DA, Kasper EK. High density of cholinergic muscarinic receptors accompanies high intensity acetylcholinesterase staining in layer IV of infant rat somatosensory cortex. *Dev Brain Res* 1983;8:373-376.
- Krist DA, Molliver ME. Synapses in newborn rat cerebral cortex: a quantitative ultrastructural study. *Brain Res* 1976;108:180-186.
- Krist DA, Waldman JV. The origin of the acetylcholinesterase-rich afferents to layer IV of infant somatosensory cortex: a histochemical analysis following lesions. *Anat Embryol* 1981;163:31-41.
- Krist DA, Waldman JV. Developmental reorganization of acetylcholinesterase-rich inputs to somatosensory cortex of the mouse. *Anat Embryol* 1982;164:331-342.
- Kruger L. Experimental analyses of the reptilian nervous system. *Ann NY Acad Sci* 1969;167:102-117.
- Lamour Y, Dutar P, Jobert A. Topographic organization of basal forebrain neurons projecting to the rat cerebral cortex. *Neurosci Lett* 1982;34:117-122.
- Lamour Y, Dutar P, Jobert A. Cortical projections of the nucleus of the diagonal band of Broca and of the substantia innominata in the rat: an anatomical study using the anterograde transport of a conjugate of wheat germ agglutinin and horseradish peroxidase. *Neuroscience* 1984;12:395-408.
- Land PW, Simons DJ. Cytochrome oxidase staining in the rat Sml barrel cortex. *J Comp Neurol* 1985;238:225-235.
- Langman J, Guerrant R, Freeman B. Behavior of neuroepithelial cells. *J Comp Neurol* 1966;172:399-412.
- Larocche J-C. Malformations of the nervous system. In: Adams JH, Corsellis JAN, Duchon LW, eds. *Greenfield's Neuropathology*, 4th edition. New York: John Wiley, 1984;385-450.
- Lashley KS. The mechanism of vision. VII. The projection of the retina upon the primary optic centers in the rat. *J Comp Neurol* 1934;59:341-373.
- Lashley KS, Clark G. The cytoarchitecture of the cerebral cortex of Ateles: a critical examination of architectonic studies. *J Comp Neurol* 1946;85:223-306.
- Leonard CM. The prefrontal cortex of the rat. I. Cortical projections of the mediodorsal nucleus. II. Efferent connections. *Brain Res* 1969;12:321-343.
- Leonard CM. The connections of the dorsomedial nuclei. *Brain Behav Evol* 1972;6:524-541.
- Leong SK. Localizing the corticospinal neurons in neonatal, developing and mature albino rat. *Brain Res* 1983;265:1-9.
- Levey AI, Wainer BH, Rye DB, Mufson EJ, Mesulam MM. Choline acetyltransferase-immunoreactive neurons intrinsic to rodent cortex and distinction from acetyltransferase-positive neurons. *Neuroscience* 1984;13:341-353.
- Levitt P, Cooper ML, Rakic P. Coexistence of neuronal and glial precursor cells in the cerebral ventricular zone of the fetal monkey. An ultrastructural immunoreactive analysis. *J Neurosci* 1981;1:27-39.
- Levitt P, Cooper ML, Rakic P. Early divergence and changing proportions of neuronal and glial precursor cells in the primate cerebral ventricular zone. *Dev Biol* 1983;96:472-484.
- Levitt P, Moore RY. Development of the noradrenergic innervation of neocortex. *Brain Res* 1979;162:243-259.
- Levitt P, Rakic P. Immunoperoxidase localization of glial fibrillary acidic protein in radial glial cells and astrocytes of the developing Rhesus monkey brain. *J Comp Neurol* 1980;193:815-840.
- Lidov HGW, Molliver ME. An immunohistochemical study of serotonin neuron development in the rat: ascending pathways and terminal fields. *Brain Res Bull* 1982;8:389-430.
- Lindvall O, Björklund A. Dopamine- and norepinephrine-containing neuron systems: their anatomy in the rat brain. In: Emson PC, ed. *Chemical Neuroanatomy*. Raven Press: New York, 1983;229-255.
- Livingston KE, Escobar A. Anatomical basis of the limbic system concept. *Arch Neurol* 1971;24:17-21.
- Loughlin SE, Fallon JH. Substantia nigra and ventral tegmental area projections to cortex: topography and collateralization. *Neuroscience* 1984;11:425-435.
- Löwel S, Bischof HJ, Leuteneker B, Singer W. Topographic relations between ocular dominance and orientation columns in the cat striate cortex. *Exp Brain Res* 1988;71:33-46.
- Ludwin SK, Norman MG. Congenital malformations of the nervous system. In: Davis RL, Robertson DM, eds. *Textbook of Neuropathology*. Baltimore: Williams and Wilkins, 1985;176-242.
- Lund JS, Remington FL, Lund RD. Differential central distribution of optic nerve components in the rat. *Brain Res* 1976;116:83-100.
- Lund RD, Lund JS, Wise RP. The organization of the retinal projection to the dorsal lateral geniculate nucleus in pigmented and albino rats. *J Comp Neurol* 1974;158:383-404.
- Lund RD, Mustari MJ. Development of the geniculo-cortical pathway in rats. *J Comp Neurol* 1977;173:289-306.
- Lund RD, Webster KE. Thalamic afferents from the spinal cord and trigeminal nuclei. An experimental anatomical study in the rat. *J Comp Neurol* 1967;130:313-328.
- Luskin MB, Pearlman AL, Sanes JR. Cell lineage in the cerebral cortex of the mouse studied in vivo and in vitro with a recombinant retrovirus. *Neuron* 1988;1:635-647.
- Luskin MB, Shatz C. Neurogenesis of the cat's primary visual cortex. *J Comp Neurol* 1985a;242:611-631.
- Luskin MB, Shatz CJ. Studies of the earliest generated cells of the cat's visual cortex: cogeneration of subplate and marginal zones. *J Neurosci* 1985b;5:1062-1075.
- Ma W, Peschanski M, Ralston III HJ. The differential synaptic organization of the spinal and lemniscal projections to the ventrobasal complex of the rat thalamus. Evidence for convergence of the two systems upon single thalamic neurons. *Neuroscience* 1987;22:925-934.
- MacLean PD. Some psychiatric implications of physiological studies on frontotemporal portion of limbic system (visceral brain). *EEG Clin Neurophysiol* 1952;4:407-418.
- Manford M, Campbell G, Lieberman AR. Postnatal development of ipsilateral retino-geniculate projections in normal albino rats and the effects of removal of one eye at birth. *Anat Embryol* 1984;170:71-78.
- Marin-Padilla M. Prenatal and early postnatal ontogenesis of the human motor cortex: a Golgi study. II. The basket pyramidal system. *Brain Res* 1970;23:185-191.
- Marin-Padilla M. Early prenatal ontogenesis of the cerebral cortex (neocortex) of the cat (*Felis domestica*). A Golgi study. I. The primordial neocortical organization. *Z Anat Entwickl-Gesch* 1971;134:117-145.
- Marin-Padilla M. Prenatal ontogenetic history of the principal neurons of the neocortex of the cat (*Felis domestica*). A Golgi study. II. Developmental differences and their significance. *Z Anat Entwickl-Gesch* 1972;136:125-142.
- Marin-Padilla M. Dual origin of the mammalian neocortex and evolution of the cortical plate. *Anat Embryol* 1978;152:109-126.
- Marin-Padilla M. Structural organization of the human cerebral cortex prior to the appearance of the cortical plate. *Anat Embryol* 1983;168:21-40.
- Marin-Padilla M. Early ontogenesis of the human cerebral cortex. In: Peters A, Jones EG, eds. *Cerebral Cortex, vol. 7: Development and Maturation*. Plenum Press: New York, 1988;1-34.
- Marin-Padilla M, Marin-Padilla TM. Origin, prenatal development and structural organization of layer I of the human cerebral (motor) cortex. *Anat Embryol* 1982;164:161-206.

- Martin GF, Cabana T, Culberson JL, Curry JJ, Tschismadia I. The early development of corticobulbar and corticospinal systems. *Anat Embryol* 1980;161:197-213.
- Martin GF, Cabana T, Hazlett JC, Ho R, Waltzer R. Development of brainstem and cerebellar projections to the diencephalon with notes on thalamocortical projections: studies on the North American opossum. *J Comp Neurol* 1987;260:186-200.
- McCandlish C, Waters RS, Cooper NGF. Early development of the representation of the body surface in SI cortex barrel field in neonatal rats as demonstrated with peanut agglutinin binding: evidence for differential development within the rattunculus. *Exp Brain Res* 1989;77:425-431.
- McCandlish C, Waters RS, Li CX. Peripherally evoked cortical responses in neonatal rat SI barrel field follows a gradient of development. *Soc Neurosci Abstr* 1990;16:632.
- McDonald JK, Parnavelas JG, Karamanlidis AN, Brecha N, Koenig JI. The morphology and distribution of peptide-containing neurons in the adult and developing visual cortex of the rat. I. Somatostatin. *J Neurocytol* 1982a;11:809-824.
- McDonald JK, Parnavelas JG, Karamanlidis AN, Brecha N. The morphology and distribution of peptide-containing neurons in the adult and developing visual cortex of the rat. II. Vasoactive intestinal polypeptide. *J Neurocytol* 1982b;11:825-837.
- McDonald JK, Parnavelas JG, Karamanlidis AN, Rosenquist G, Brecha N. The morphology and distribution of peptide-containing neurons in the adult and developing visual cortex of the rat. III. Cholecystokinin. *J Neurocytol* 1982c;11:881-895.
- McKinney M, Coyle JT, Hedreen JC. Topographic analysis of the innervation of the rat neocortex and hippocampus by the basal forebrain cholinergic system. *J Comp Neurol* 1983;217:103-121.
- Meinecke DL, Peters A. GABA immunoreactive neurons in rat visual cortex. *J Comp Neurol* 1987;261:388-404.
- Meller K, Breipohl W, Glees P. Synaptic organization of the molecular and outer granular layer in the motor cortex in the white mouse during postnatal development. A Golgi and electron microscopic study. *Z Zellforsch* 1968;92:217-231.
- Meller K, Briepohl W, Glees P. Ontogeny of the mouse motor cortex. The polymorph layer or layer VI. A Golgi and electron microscopic study. *Z Zellforsch* 1969;99:443-458.
- Meller K, Tetzlaff W. Neuronal migration during the early development of the cerebral cortex. *Cell Tiss Res* 1975;163:313-325.
- Menkes JH. *Textbook of Child Neurology*, 3rd ed. Philadelphia: Lee and Febiger, 1985.
- Merzenich MM, Colwell SA, Andersen RA. Auditory forebrain organization. Thalamocortical and corticothalamic connections in the cat. In: Woolsey CN, ed. *Cortical Sensory Organization*, vol. 3: *Multiple Auditory Areas*. Clifton, NJ: Humana Press, 1982;43-57.
- Miale IL, Sidman RL. An autoradiographic analysis of histogenesis in the mouse cerebellum. *Exp Neurol* 1961;4:277-296.
- Miller MW. Cogeneration of retrogradely labeled corticocortical projection and GABA-immunoreactive local circuit neurons in cerebral cortex. *Dev Brain Res* 1985;23:187-192.
- Miller MW. The migration and neurochemical differentiation of gamma aminobutyric acid (GABA)-immunoreactive neurons in rat visual cortex as demonstrated by a combined immunocytochemical-autoradiographic technique. *Dev Brain Res* 1986;28:41-46.
- Miller MW. Development of projection and local circuit neurons in neocortex. In: Peters A, Jones EG, eds. *Cerebral Cortex*, vol 7, *Development and Maturation*. New York: Plenum Press, 1988; 133-175.
- Misson JP, Edwards MA, Yamamoto M, Caviness VS. Mitotic cycling of radial glial cells of the fetal murine cerebral wall: a combined autoradiographic and immunohistochemical study. *Dev Brain Res* 1988a;38:183-190.
- Misson JP, Edwards MA, Yamamoto M, Caviness VS. Identification of radial glial cells within the developing murine central nervous system: studies based upon a new immunohistochemical marker. *Dev Brain Res* 1988b;44:95-108.
- Molliver ME. Role of monoamines in the development of the neocortex. In: Rakic P, Goldman-Rakic PS, eds. *Development and Modifiability of the Cerebral Cortex*. *Neurosci Res Prog Bull* 1982;20:492-507.
- Molliver ME, Kostovic I, van der Loos H. Development of synapses in the cerebral cortex of the human fetus. *Brain Res* 1973;50:403-407.
- Molliver ME, Kristt DA. The fine structural demonstration of monoaminergic synapses in immature rat neocortex. *Neurosci Lett* 1975;1:305-310.
- Molliver ME, van der Loos H. *The Ontogenesis of Cortical Circuitry: The Spatial Distribution of Synapses in Somesthetic Cortex of Newborn Dog*. (Advances in Anatomy, Embryology, and Cell Biology, vol. 42) Berlin: Springer-Verlag, 1970;1-54.
- Molnár Z, Blakemore C. Development of thalamocortical connectivity *in vivo* and *in vitro*. *Soc Neurosci Abstr* 1990;16:1007.
- Montero VM. Evoked responses in the rat's visual cortex of contralateral, ipsilateral and restricted photic stimulation. *Brain Res* 1973;53:192-196.
- Montero VM. Comparative studies on the visual cortex. In: Woolsey CN, ed. *Cortical Sensory Organization*, vol 2, *Multiple Visual Areas*. Clifton, NJ: Humana Press, 1981;33-81.
- Morest DK. A study of neurogenesis in the forebrain of opossum pouch young. *Z Anat Entwickl gesch* 1970;130:265-305.
- Mountcastle VB. Modalities and topographic properties of single neurons of cat's sensory cortex. *J Neurophysiol* 1957;20:408-434.
- Mulligan KA, Törk I. Serotonergic axons form basket-like terminals in cerebral cortex. *Neurosci Lett* 1987;81:7-12.
- O'Donoghue DL, Kartje-Tillotson G, Castro AJ. Forelimb motor cortical projections in normal rats and after neonatal hemispherectomy: an anatomical study based upon the axonal transport of WGA-HRP. *J Comp Neurol* 1987;256:274-283.
- Olavarria J. A horseradish peroxidase study of the projections from the latero-posterior nucleus to three lateral peristriate areas in the rat. *Brain Res* 1979;173:137-141.
- O'Leary DDM, Stanfield BB. Selective elimination of axons extended by developing cortical neurons is dependent on regional locale: experiments utilizing fetal cortical transplants. *J Neurosci* 1989;9:2230-2246.
- Oliver DL, Hall WC. The medial geniculate body of the tree shrew *Tupaia glis*. II. Connections with the neocortex. *J Comp Neurol* 1978;182:459-494.
- Olson L, Sieger A. Early prenatal ontogeny of central monoamine neurons in the rat: fluorescence histochemical observations. *Z Anat Entwickl Gesch* 1972;137:301-316.
- Olson L, Sieger A, Fuxe K. Heterogeneity of striatal and limbic dopamine innervation: highly fluorescent islands in developing and adult rats. *Brain Res* 1972;44:283-288.
- Ostertag B. Grundzuege der Entwicklung und Fehlentwicklung. In: *Handbuch der Spezielle Pathologie, Anatomie und Histologie*, vol XIII, part 4. Berlin: Springer, 1956;283-362.
- Papadopoulos GC, Parnavelas JG, Buijs RM. Light and electron immunocytochemical analysis of the dopamine innervation of the rat visual cortex. *J Neurocytol* 1989;18:303-310.
- Papez JW. A proposed mechanism of emotion. *Arch Neurol Psych* 1937;38:725-744.
- Parnavelas JG, McDonald JK. The cerebral cortex. In: Emson PC, ed. *Chemical Neuroanatomy*. New York: Raven Press, 1983;505-549.
- Parnavelas JG, Papadopoulos GC, Cavanagh ME. Changes in neurotransmitters during development. In: Peters A, Jones EG, eds. *Cerebral Cortex*, vol 7, *Development and Maturation*. New York: Plenum Press, 1988;177-209.
- Paton S. The histogenesis of the cellular elements of the cerebral cortex. *Johns Hopkins Hosp Rep* 1900;9:709-741.
- Pellegrino LJ, Pellegrino AS, Cushman AJ. *A Stereotaxic Atlas of the Rat Brain*, 2nd edition. New York: Plenum Press, 1979.
- Perry VH. A tectocortical visual pathway in the rat. *Neuroscience* 1980;5:915-927.
- Peschanski M. Trigeminal afferents to the diencephalon in the rat. *Neuroscience* 1984;12:465-487.
- Peschanski M, Lee CL, Ralston HJ. The structural organization of the ventrobasal complex of the rat as revealed by the analysis of physiologically characterized neurons injected intracellularly with horseradish peroxidase. *Brain Res* 1984;297:63-74.
- Peschanski M, Mantyh PW, Besson JM. Spinal afferents to the ventrobasal thalamic complex in the rat: an anatomical study using wheat germ agglutinin conjugated to horseradish peroxidase. *Brain Res* 1983;278:240-244.

- Peters A, Jones EG. Classification of cortical neurons. In: Peters A, Jones EG, eds. *Cerebral Cortex, vol. 1, Cellular Components of the Cerebral Cortex*. New York: Plenum Press, 1984;107-121.
- Peters A, Saldanha J. The projection of the lateral geniculate nucleus to area 17 of the rat cerebral cortex. III. Layer VI. *Brain Res* 1976;105:533-537.
- Phillipson OT, Kilpatrick IC, Jones MW. Dopaminergic innervation of the primary visual cortex in the rat, and some correlations with human cortex. *Brain Res Bull* 1987;18:621-633.
- Pinto-Lord MC, Caviness VS. Determinants of cell shape and orientation: a comparative Golgi analysis of cell-axon interrelationships in the developing neocortex of normal and reeler mice. *J Comp Neurol* 1979;187:49-70.
- Pinto-Lord MC, Evrard P, Caviness Jr. VS. Obstructed neuronal migration along radial glial fibers in the neocortex of the reeler mouse: a Golgi-EM analysis. *Dev Brain Res* 1982;4:379-393.
- Polyak S. *The Vertebrate Visual System*. Klüver H, ed. Chicago: University of Chicago Press, 1957.
- Porrino LJ, Goldman-Rakic PS. Brainstem innervation of prefrontal and anterior cingulate cortex in the rhesus monkey revealed by retrograde transport of HRP. *J Comp Neurol*;1982;205:63-76.
- Price JL, Stern R. Individual cells in the nucleus basalis-diagonal band complex have restricted axonal projections to the cerebral cortex in the rat. *Brain Res* 1983;269:352-356.
- Price J, Thurlow L. Cell lineage in the rat cerebral cortex: a study using retroviral-mediated gene transfer. *Development* 1988;104:473-482.
- Prusky GT, Arbuckle JM, Cynader MS. Transient concordant distributions of nicotinic receptors and acetylcholinesterase activity in infant rat visual cortex. *Dev Brain Res* 1988;39:154-159.
- Raedler E, Raedler A. Autoradiographic study of early neurogenesis in rat neocortex. *Anat Embryol* 1978;154:267-284.
- Raedler E, Raedler A, Feldhäus S. Dynamical aspects of neocortical histogenesis in the rat. *Anat Embryol* 1980;158:253-269.
- Raedler A, Sievers J. Light and electron microscopical studies on specific cells of the marginal zone in the developing rat cerebral cortex. *Anat Embryol* 1976;149:173-181.
- Rakic P. Mode of cell migration to the superficial layers of fetal monkey neocortex. *J Comp Neurol* 1972;145:61-84.
- Rakic P. Neurons in rhesus monkey visual cortex: systematic relation between time of origin and eventual disposition. *Science* 1974;183:425-427.
- Rakic P. Prenatal development of the visual system in Rhesus monkey. *Phil Trans Roy Soc Lond, Series B* 1977;278:245-260.
- Rakic P. Neuronal migration and contact guidance in the primate telencephalon. *Postgrad Med J* 1978;54:25-40.
- Rakic P. Early developmental events: cell lineages, acquisition of neuronal positions, and areal and laminar development. In: Rakic P, Goldman-Rakic PS, eds. *Development and Modifiability of the Cerebral Cortex*. *Neurosci Res Prog Bull* 1982;20:439-451.
- Rakic P. Geniculo-cortical connections in primates: normal and experimentally altered development. *Prog Brain Res* 1983;58:393-404.
- Rakic P. Specification of cerebral cortical areas. *Science* 1988;241:170-176.
- Ramon-Moliner E. The Golgi-Cox technique. In: Nauta WJH, Ebesson SOE, eds. *Contemporary Research Methods in Neuroanatomy*. New York: Springer-Verlag, 1970;32-55.
- Rapisarda C, Simonelli G, Monti S. Cells of origin and topographic organization of corticospinal neurons in the guinea pig by the retrograde HRP method. *Brain Res* 1985;334:85-96.
- Redies H, Brandner S, Creutzfeldt OD. Anatomy of the auditory thalamocortical system of the guinea pig. *J Comp Neurol* 1989;282:489-511.
- Reep RL, Goodwin GS. Layer VII of rodent cerebral cortex. *Neurosci Lett* 1988;90:15-20.
- Reep RL, Winans SS. Afferent connections of dorsal and ventral agranular insular cortex in the hamster, *Mesocricetus auratus*. *Neuroscience* 1982a;7:1265-1288.
- Reep RL, Winans SS. Efferent connections of dorsal and ventral agranular insular cortex in the hamster, *Mesocricetus auratus*. *Neuroscience* 1982b;7:2609-2635.
- Reese BE. "Hidden lamination" in the dorsal lateral geniculate nucleus: the functional organization of this thalamic region in the rat. *Brain Res* 1988;13:119-137.
- Reese BE, Cowey A. The crossed projection from the temporal retina to the dorsal lateral geniculate nucleus in the rat. *Neuroscience* 1987;20:951-959.
- Reh T, Kalil K. Development of the pyramidal tract in the hamster. I. A light microscopic study. *J Comp Neurol* 1981;200:55-67.
- Reinoso BS, O'Leary DDM. Correlation of geniculocortical growth into the cortical plate with the migration of their layer 4 and 6 target cells. *Soc Neurosci Abstr* 1990;16:493.
- Retzius G. Die Cajal'schen Zellen der Grosshirnrinde beim Menschen und bei Säugethieren. *Biol Untersuch, Neue Folge* 1893;5:1-15.
- Ribak CE. Aspinous and sparsely-spinous stellate neurons in visual cortex of rats contain glutamic acid decarboxylase. *J Neurocytol* 1978;7:461-478.
- Ribak CE, Peters A. An autoradiographic study of the projections from the lateral geniculate body of the rat. *Brain Res* 1975;92:341-368.
- Rice FL. Gradual changes in the structure of the barrels during maturation of the primary somatosensory cortex in the rat. *J Comp Neurol* 1985;236:496-503.
- Rice FL, Gomez C, Barstow C, Burnet A, Sands P. A comparative analysis of the development of the primary somatosensory cortex: interspecies similarities during barrel and laminar development. *J Comp Neurol* 1985;236:477-495.
- Rice FL, van der Loos H. Development of the barrels and barrel field in the somatosensory cortex of the mouse. *J Comp Neurol* 1977;171:545-560.
- Richfield EK, Young AB, Penny JB. Comparative distributions of dopamine D-1 and D-2 receptors in cerebral cortex of rats, cats, and monkeys. *J Comp Neurol* 1989;286:409-426.
- Richter W, Kranz D. Autoradiographische Untersuchungen zur Neurogenese und Morphogenese der Regio cingularis der Ratte. I. Proliferationsmuster in verschiedenen prae- und postnatalen Stadien. *Z Mikr Anat Forsch, Leipzig* 1978;92:222-240.
- Richter W, Kranz D. Autoradiographische Untersuchungen zur Neurogenese und Morphogenese der Regio cingularis der Ratte. II. Proliferationskinetik in der area praecentralis agranularis. *J Hirnforsch* 1979a;20:391-412.
- Richter W, Kranz D. Autoradiographische Untersuchungen zur Neurogenese und Morphogenese der Regio cingularis der Ratte. III. Migration und Lamination in den Regionen der cingulären Rinde und in der Area postcentralis. *J Hirnforsch* 1979b;20:475-505.
- Richter W, Kranz D. Autoradiographische Untersuchungen zur Neurogenese und Morphogenese der Regio cingularis der Ratte. IV. Quantitative Untersuchungen zur Ermittlung der Zellursprungszeiten der Cortexschichten. *J Hirnforsch* 1979c;20:581-629.
- Richter W, Kranz D. Autoradiographische Untersuchungen zur Neurogenese und Morphogenese der Regio cingularis der Ratte. V. Quantitative Untersuchungen des ablaufs der Migrationsvorgänge. *J Hirnforsch* 1980;21:11-37.
- Rickmann M, Chronwall BM, Wolff R. On the development of non-pyramidal neurons and axons outside the cortical plate: the early marginal zone as a pallial anlage. *Anat Embryol* 1977;151:285-307.
- Riss W, Halpern M, Scalia F. The quest for clues to forebrain evolution—the study of reptiles. *Brain Behav Evol* 1969;2:1-15.
- Robertson RT. A morphogenetic role for transiently expressed acetylcholinesterase in developing thalamocortical systems? *Neurosci Lett* 1987;75:259-264.
- Robertson RT, Kaitz SS. Thalamic connections with limbic cortex. I. Thalamocortical projections. *J Comp Neurol* 1981;195:501-525.
- Robertson RT, Tijerina AA, Gallivan ME. Transient patterns of acetylcholinesterase activity in visual cortex of the rat: normal development and the effects of neonatal monocular enucleation. *Dev Brain Res* 1985;21:203-214.
- Room P, Postema F, Korf J. Divergent axon collaterals of rat locus coeruleus neurons: demonstration by a fluorescent double labeling technique. *Brain Res* 1981;221:219-230.
- Rose JE, Woolsey CN. Structure and relations of limbic cortex and anterior thalamic nuclei in rabbit and cat. *J Comp Neurol* 1948;89:279-348.
- Rösner H, Greis C, Henke-Fahle S. Developmental expression in embryonic rat and chicken brain of a polysialoganglioside-antigen reacting with the monoclonal antibody Q211. *Dev Brain Res* 1988;42:161-171.

- Russell B. *A History of Western Philosophy*. New York: Simon and Schuster, 1945.
- Ryan AF, Woolf NK, Sharp FR. Tonotopic organization in the central auditory pathway of the mongolian gerbil: a 2-deoxyglucose study. *J Comp Neurol* 1982;207:369-380.
- Ryugo DK, Killackey HP. Differential telencephalic projections of the medial and ventral divisions of the medial geniculate body of the rat. *Brain Res* 1974;82:173-177.
- Sanderson KJ, Weller WL. Gradients of neurogenesis in possum neocortex. *Dev Brain Res* 1990;55:269-274.
- Sanides F. Comparative architectonics of the neocortex of mammals and their evolutionary interpretation. *Ann NY Acad Sci* 1969;167:404-423.
- Saper CB. Convergence of autonomic and limbic connections in the insular cortex of the rat. *J Comp Neurol* 1982;210:163-173.
- Saper CB. Organization of cerebral cortical afferent systems in the rat. II. Magnocellular basal nucleus. *J Comp Neurol* 1984;222:313-342.
- Saporta S, Kruger L. The organization of thalamocortical relay neurons in the rat ventrobasal complex studied by the retrograde transport of horseradish peroxidase. *J Comp Neurol* 1977;174:187-208.
- Sarter M, Markowitsch HJ. Convergence of basolateral amygdaloid and mediodorsal thalamic projections in different areas of the frontal cortex in the rat. *Brain Res Bull* 1983;10:607-622.
- Sas E, Sanides F. A comparative Golgi study of Cajal foetal cells. *Z Mikr Anat Forsch* 1970;82:385-396.
- Satoh J, Suzuki K. Tyrosine hydroxylase-immunoreactive neurons in the mouse cerebral cortex during the postnatal period. *Dev Brain Res* 1990;53:1-5.
- Sauer FC. Mitosis in the neural tube. *J Comp Neurol* 1935;62:377-405.
- Sauer F. The interkinetic migration of embryonic epithelial nuclei. *J Morphol* 1936;60:1-11.
- Sauer ME, Walker BE. Radiation injury resulting from nuclear labeling with tritiated thymidine in the chick embryo. *Rad Res* 1961;14:633-642.
- Sawyer SF, Young SJ, Groves PM. Quantitative Golgi study of anatomically identified subdivisions of motor thalamus in the rat. *J Comp Neurol* 1989;286:1-27.
- Schambra UB, Sulik KK, Petrusz P, Lauder JM. Ontogeny of cholinergic neurons in the mouse forebrain. *J Comp Neurol* 1989;288:101-122.
- Schaper A. The earliest differentiation in the central nervous system of vertebrates. *Science* 1897;5:430-431.
- Scheel M. Topographic organization of the auditory thalamocortical system in the albino rat. *Anat Embryol* 1988;179:181-190.
- Schlumpf M, Shoemaker WJ, Bloom FE. Innervation of embryonic rat cerebral cortex by catecholamine-containing fibers. *J Comp Neurol* 1980;192:361-376.
- Schneider BF, Silver J. Failure of the subcallosal sling to develop after embryonic x-irradiation is correlated with absence of the cavum septi. *J Comp Neurol* 1990;299:462-469.
- Schob F. Pathologische Anatomie der Idiotie. In: Bumke O, ed. *Handbuch der Geisteskrankheiten*, vol II, part 7. Berlin: Springer, 1930;779-995.
- Schreyer D, Jones EG. Growth and target finding by axons of the corticospinal tract in the prenatal and postnatal rats. *Neuroscience* 1982;7:1837-1853.
- Schreyer DJ, Jones EG. Topographic sequence of outgrowth of corticospinal axons in the rat: a study using retrograde axonal labeling with fast blue. *Dev Brain Res* 1988a;38:89-101.
- Schreyer DJ, Jones EG. Axon elimination in the developing corticospinal tract of the rat. *Dev Brain Res* 1988b;38:103-119.
- Schultz B, Korr H. Cell kinetic studies of different cell types in the developing and adult brain of the rat and the mouse. *Cell Tissue Kinet* 1981;14:309-325.
- Schwalbe E. *Handbuch der Allgemeinen Missbildungslehre*. Jena: Fischer, 1906.
- Schwartz ML, Goldman-Rakic PS. Some callosal neurons of the fetal monkey frontal cortex have axons in the contralateral hemisphere prior to the completion of migration. *Soc Neurosci Abstr* 1986;12:1211.
- Sefton AJ, Dreher B. Visual system. In: Paxinos G, ed. *The Rat Nervous System, vol. 1: Forebrain and Midbrain*. Sydney: Academic Press, 1985;169-221.
- Seiger A, Olson L. Late prenatal ontogeny of central dopamine neurons in the rat. Fluorescence histochemical observations. *Z Anat Entw-Gesch* 1973;140:281-318.
- Semba K, Reiner PB, McGeer EG, Fibiger HC. Brainstem projecting neurons in rat basal forebrain: neurochemical, topographical, and physiological distinctions from cortically projecting cholinergic neurons. *Brain Res Bull* 1989;22:501-509.
- Seymour RM, Berry M. Scanning and transmission electron microscope studies of interkinetic nuclear migration in the cerebral vesicles of the rat. *J Comp Neurol* 1975;160:105-126.
- Sharp FR, Gonzalez MF. Adult rat motor cortex connections to thalamus following neonatal and juvenile frontal cortical lesions: WGA-HRP and amino acid studies. *Dev Brain Res* 1986;30:169-187.
- Shatz CJ, Chun JJM, Luskin MB. The role of the subplate in the development of the mammalian telencephalon. In: Peters A, Jones EG, eds. *Cerebral Cortex, vol. 7, Development and Maturation*. New York: Plenum Press, 1988;35-58.
- Shatz CJ, Luskin MB. The relationship between the geniculocortical afferents and their cortical target cells during development of the cat's primary visual cortex. *J Neurosci* 1986;6:3655-3668.
- Shatz CJ, Rakic P. The genesis of efferent connections from the visual cortex of the fetal rhesus monkey. *J Comp Neurol* 1981;196:287-307.
- Shatz CJ, Stryker MP. Prenatal tetrodotoxin infusion blocks segregation of retinogeniculate afferents. *Science* 1988;242:87-89.
- Shimada M. Autoradiographic studies of prenatal neurogenesis in the olfactory bulb, hippocampal formation, and neopallium in mice. *Acta Anat Nippon* 1970;45:91-120.
- Shimada M, Langman J. Cell proliferation, migration and differentiation in the cerebral cortex of the golden hamster. *J Comp Neurol* 1970;139:227-244.
- Shiple MT, Geinisman Y. Anatomical evidence for convergence of olfactory, gustatory, and visceral afferent pathways in mouse cerebral cortex. *Brain Res Bull* 1984;12:221-226.
- Shoukimas GM, Hinds JW. The development of the cerebral cortex in the embryonic mouse: an electron microscopic serial section analysis. *J Comp Neurol* 1978;179:795-830.
- Sidman RL, Miale IL, Feder N. Cell proliferation and migration in the primitive ependymal zone: an autoradiographic study of histogenesis in the nervous system. *Exp Neurol* 1959;1:322-333.
- Siegel A, Fukushima T, Meibach R, Burke L, Edinger H, Weiner S. The origin of the afferent supply to the mediodorsal thalamic nucleus: enhancement of HRP transport by selective lesions. *Brain Res* 1977;135:11-23.
- Silver J, Lorenz SE, Wahlsten D, Coughlin J. Axonal guidance during development of the great cerebral commissures: descriptive and experimental studies, in vivo, on the role of preformed glial pathways. *J Comp Neurol* 1982;210:10-29.
- Silver J, Ogawa MY. Postnatally induced formation of the corpus callosum in allosal mice on glia-coated cellulose bridges. *Science* 1983;220:1067-1069.
- Silver J, Sidman RL. A mechanism for the guidance and topographic patterning of retinal ganglion cell axons. *J Comp Neurol* 1980;189:101-111.
- Simon H, LeMoal M, Galey D, Cardo B. Silver impregnation of dopaminergic systems after radiofrequency and 6-OHDA lesions of the rat ventral tegmentum. *Brain Res* 1976;115:215-231.
- Smart I. The subependymal layer of the mouse brain and its cell production as shown by radioautography after thymidine-H3 injection. *J Comp Neurol* 1961;116:325-348.
- Smart IHM. Proliferative characteristics of the ependymal layer during the early development of the mouse diencephalon, as revealed by recording the number, location, and plane of cleavage of mitotic cells. *J Anat* 1972;113:109-129.
- Smart IHM, McSherry GM. Growth patterns in the lateral wall of the mouse telencephalon. II. Histological changes during and subsequent to the period of isocortical neuron production. *J Anat* 1982;134:415-442.
- Smart IHM, Smart M. The location of nuclei of different labelling intensities in autoradiographs of the anterior forebrain of postnatal mice injected with [³H]thymidine on the eleventh and twelfth days post-conception. *J Anat* 1977;123:515-525.

- Smart IHM, Smart M. Growth patterns in the lateral wall of the mouse telencephalon: I. Autoradiographic studies of the histogenesis of the isocortex and adjacent areas. *J Anat* 1982;134:273-298.
- Smart IHM, Sturrock RR. Ontogeny of the neostriatum. In: Divac I, Öberg RGE, eds. *The Neostriatum*. Oxford: Pergamon Press, 1979;127-146.
- Smith RL. The ascending fiber projections from the principal sensory trigeminal nucleus in the rat. *J Comp Neurol* 1973;148:423-446.
- Specht LA, Pickel VM, Joh TH, Reis DJ. Light microscopic immunocytochemical localization of tyrosine hydroxylase in prenatal rat brain. I. Early ontogeny. *J Comp Neurol* 1981a;199:233-253.
- Specht LA, Pickel VM, Joh TH, Reis DJ. Light microscopic immunocytochemical localization of tyrosine hydroxylase in prenatal rat brain. II. Late ontogeny. *J Comp Neurol* 1981b;199:255-276.
- Stanfield BB, O'Leary DDM. Fetal occipital cortical neurones transplanted to rostral cortex can extend and maintain a pyramidal tract axon. *Nature* 1985;313:135-137.
- Stanfield BB, O'Leary DDM, Fricks C. Selective collateral elimination in early postnatal development restricts cortical distribution of rat pyramidal tract neurons. *Nature* 1982;298:371-373.
- Steindler DA, Cooper NGF, Faissner A, Schachner M. Boundaries defined by adhesion molecules during development of the cerebral cortex: The J1/tenascin glycoprotein in the mouse somatosensory cortical barrel field. *Dev Biol* 1989;131:243-260.
- Steindler DA, Trosko BK. Two types of locus coeruleus neurons born on different embryonic days in the mouse. *Anat Embryol* 1989;179:423-434.
- Stensaas LJ. The development of hippocampal and dorsolateral pallial regions of the cerebral hemisphere in fetal rabbits. I. Fifteen millimeter stage, sponglioblast morphology. *J Comp Neurol* 1967a;129:59-70.
- Stensaas LJ. The development of hippocampal and dorsolateral pallial regions of the cerebral hemisphere in fetal rabbits. II. Twenty millimeter stage, neuroblast morphology. *J Comp Neurol* 1967b;129:71-84.
- Stensaas LJ. The development of hippocampal and dorsolateral pallial regions of the cerebral hemisphere in fetal rabbits. III. Twenty-nine millimeter stage, marginal lamina. *J Comp Neurol* 1967c;130:149-162.
- Stensaas LJ. The development of hippocampal and dorsolateral pallial regions of the cerebral hemisphere in fetal rabbits. IV. Forty-one millimeter stage, intermediate lamina. *J Comp Neurol* 1967d;131:409-422.
- Stensaas LJ, Stensaas S. An electron microscope study of cells in the matrix and intermediate laminae of the cerebral hemisphere of the 45 mm rabbit embryo. *Z Zellforsch* 1968;91:341-365.
- Sur M, Garraghty PE, Roe AW. Experimentally induced visual projections into auditory thalamus and cortex. *Science* 1988;242:1437-1441.
- Swanson LW, Hartman BK. The central adrenergic system. An immunofluorescence study of the location of the cell bodies and their efferent connections in the rat utilizing dopamine-beta-hydroxylase as a marker. *J Comp Neurol* 1975;163:467-506.
- Thompson SM, Robertson RT. Organization of subcortical pathways for sensory projections to the limbic cortex. I. Subcortical projections to the medial limbic cortex in the rat. *J Comp Neurol* 1987;265:175-188.
- Thurlow GA, Cooper RM. Metabolic activity in striate and extrastriate cortex in hooded rat contralateral and ipsilateral eye input. *J Comp Neurol* 1988;274:595-607.
- Tiao YC, Blakemore C. Functional organization in the visual cortex of the golden hamster. *J Comp Neurol* 1976;168:459-482.
- Todd PH, Smart IHM. Growth patterns in the lateral wall of the mouse telencephalon: III. Studies of the chronologically ordered column hypothesis of isocortical histogenesis. *J Anat* 1982;134:633-642.
- Tracey DJ. Somatosensory system. In: Paxinos G, ed. *The Rat Nervous System, vol. 2: Hindbrain and Spinal Cord*. Sydney: Academic Press, 1985;129-152.
- Travers JP, Travers SP, Norgren R. Gustatory neural processing in the hindbrain. *Ann Rev Neurosci* 1987;10:595-632.
- Turner DL, Cepko CL. A common progenitor for neurons and glia persists in rat retina late in development. *Nature* 1987;328:131-136.
- Ullan J, Arteida J. Somatotopy of the corticospinal neurons in the rat. *Neurosci Lett* 1981;21:13-18.
- Uozumi T, Nakamura H, Kawabuchi M, Kanaseki T. Patterns of maturation of somatotopical distribution of corticospinal neurons in postnatal rats. A WGA-HRP study. *Anat Embryol* 1988;179:19-24.
- Valverde F. The pyramidal tract in rodents. A study of its relations with the posterior column nuclei, dorsolateral reticular formation of the medulla oblongata, and cervical spinal cord. *Z Zellforsch* 1966;71:297-363.
- Valverde F. Intrinsic neocortical organization: some comparative aspects. *Neuroscience* 1986;18:1-23.
- Valverde F, Facal-Valverde MV. Neocortical layers I and II of the hedgehog (*Erinaceus europaeus*) I. Intrinsic organization. *Anat Embryol* 1986;173:413-430.
- Valverde F, Facal-Valverde MV, Santacana M, Heredia M. Development and differentiation of early generated cells of sublayer VIb in the somatosensory cortex of the rat: a correlated Golgi and autoradiographic study. *J Comp Neurol* 1989;290:118-140.
- van der Loos H. Barreloids in mouse somatosensory thalamus. *Neurosci Lett* 1976;2:1-6.
- van der Loos H, Dörfel J. Does the skin tell the somatosensory cortex how to construct a map of the periphery. *Neurosci Lett* 1978;7:23-30.
- Vaughan DW. Thalamic and callosal connections of the rat auditory cortex. *Brain Res* 1983;260:181-189.
- Verley R, Onnen I. Somatotopic organization of the tactile thalamus in normal adult and developing mice as in adult mice dewhiskered since birth. *Exp Neurol* 1981;72:462-474.
- Verney C, Berger B, Baulac M, Helle KB, Alvarez C. Dopamine-beta-hydroxylase like immunoreactivity in fetal cerebral cortex of the rat: noradrenergic ascending pathways and terminal fields. *Int J Dev Neurosci* 1984;2:491-503.
- Vogt BA, Rosens DL, Peters A. Synaptic termination of thalamic and callosal afferents in cingulate cortex of the rat. *J Comp Neurol* 1981;201:265-283.
- Vogt C, Vogt O. Allgemeiner Ergebnisse unserer Hirnforschung. *J Psychol Neurol (Leipzig)* 1919;25:279-462.
- von Bonin G, Mehler WR. On columnar arrangement of nerve cells in cerebral cortex. *Brain Res* 1971;27:1-9.
- Voorn P, Kalsbeek A, Jorritsma-Byham B, Groenewegen HJ. The pre- and postnatal development of the dopaminergic cell groups in the ventral mesencephalon and the dopaminergic innervation of the striatum of the rat. *Neuroscience* 1988;25:857-887.
- Waechter RV, Jaensch B. Generation times of the matrix cells during embryonic brain development. *Brain Res* 1972;46:235-250.
- Waite PME. Normal nerve fibers in the barrel region of developing and adult mouse cortex. *J Comp Neurol* 1977;173:165-174.
- Wallace MN. Histochemical demonstration of sensory maps in the rat and mouse cerebral cortex. *Brain Res* 1987;418:178-182.
- Walls LG. The lateral geniculate nucleus and visual histophysiology. *Univ Calif Berkeley Publ Physiol* 1953;9:1-100.
- Walsh C, Cepko CL. Clonally related cortical cells show several migration patterns. *Science* 1988;241:1342-1345.
- Warren R, Tremblay N, Dykes RW. Quantitative study of glutamic acid decarboxylase-immunoreactive neurons and cytochrome oxidase activity in normal and partially deafferented rat hindlimb somatosensory cortex. *J Comp Neurol* 1989;288:583-592.
- Waters RS, McCandlish CA, Cooper NGF. Early development of SI cortical barrel subfield representation of forelimb in normal and deafferented neonatal rats as delineated by peroxidase conjugated lectin, peanut agglutinin (PNA). *Exp Brain Res* 1990;81:234-240.
- Webster WR. Auditory system. In: Paxinos G, ed. *The Rat Nervous System, vol. 2: Hindbrain and Spinal Cord*. Sydney: Academic Press, 1985;153-184.
- Welker C. Microelectrode delineation of fine grain somatotopic organization of Sml neocortex in the albino rat. *Brain Res* 1971;26:259-275.
- Welker C. Receptive fields of barrels in the somatosensory neocortex of the rat. *J Comp Neurol* 1976;166:173-190.
- Welker C, Sinha MM. Somatotopic organization of SmlII cerebral neocortex in albino rat. *Brain Res* 1972;37:132-136.
- Welker C, Woolsey TA. Structure of layer IV in the somatosensory neocortex of the rat: description and comparison with the mouse. *J Comp Neurol* 1974;158:437-454.

- Whishaw IQ, Kolb B. Tongue protrusion mediated by spared anterior ventrolateral neocortex in neonatally decorticate rats: behavioral support for the neurogenetic hypothesis. *Behav Brain Res* 1989;32:101–113.
- White EL. A morphologic concept of the limbic lobe. *Int Rev Neurol* 1965;8:1–34.
- White EL, Keller A. Intrinsic circuitry involving the local axon collaterals of corticothalamic projection cells in mouse Sml cortex. *J Comp Neurol* 1987;262:13–26.
- Williams MW, Faull RLM. The distribution and morphology of identified thalamocortical projection neurons and glial cells with reference to the question of interneurons in the ventrolateral nucleus of the rat thalamus. *Neuroscience* 1987;21:767–780.
- Winer BJ. *Statistical Principles in Experimental Design*, 2nd ed. New York: McGraw Hill, 1971.
- Winer JA, Larue DT. Patterns of reciprocity in auditory thalamocortical and corticothalamic connections: study with horseradish peroxidase and autoradiographic methods in the rat medial geniculate body. *J Comp Neurol* 1987;257:282–315.
- Wise SP, Fleshman JW, Jones EG. Maturation of pyramidal cell form in relation to developing afferent and efferent connections of rat somatic sensory cortex. *Neuroscience* 1979b;4:1275–1297.
- Wise SP, Hendry SHC, Jones EG. Prenatal development of sensory-motor cortical projections in cats. *Brain Res* 1977;138:538–544.
- Wise SP, Jones EG. Cells of origin and terminal distribution of descending projections of the rat somatic sensory cortex. *J Comp Neurol* 1977;175:129–158.
- Wise SP, Jones EG. Developmental studies of thalamocortical and commissural connections in the rat somatic sensory cortex. *J Comp Neurol* 1978;178:187–208.
- Wise SP, Murray EA, Coulter JD. Somatotopic organization of corticospinal and corticotrigeminal neurons in the rat. *Neuroscience* 1979a;4:65–78.
- Wolf G. Projections of thalamic and cortical gustatory areas in the rat. *J Comp Neurol* 1968;132:519–530.
- Wolff JR. Ontogenetic aspects of cortical architecture: lamination. In: Brazier MAB, Petsche H, eds. *Architectonics of the Cerebral Cortex*. New York: Raven Press, 1978;159–173.
- Wolff JR, Bottcher H, Zetzche T, Oertel WH, Chronwall BM. Development of GABAergic neurons in rat visual cortex as identified by glutamate decarboxylase immunoreactivity. *Neurosci Lett* 1984;47:207–212.
- Wolff JR, Chronwall BM, Rickmann M. Morphogenetic relations between cell migration and synaptogenesis in the neocortex of rat. In: Neuhoff V, ed. *Proceedings of the European Society of Neurochemist*. New York: Verlag Chemie, 1978;158–173.
- Woodward WR, Coull BM. Localization and organization of geniculocortical and corticofugal fiber tracts within the subcortical white matter. *Neuroscience* 1984;12:1089–1099.
- Woolsey DH, van der Loos H. The structural organization of layer IV in the somatosensory region (SI) of mouse cerebral cortex. *Brain Res* 1970;17:205–242.
- Woolsey TA, Anderson JR, Wann JR, Stanfield BB. Effects of early vibrissae damage on neurons in the ventrobasal (VB) thalamus of the mouse. *J Comp Neurol* 1979;184:363–380.
- Yamamoto M, Boyer AM, Crandall JE, Edwards M, Tanaka H. Distribution of stage-specific neurite-associated proteins in the developing murine nervous system recognized by a monoclonal antibody. *J Neurosci* 1986;6:3576–3594.
- Zhang L, Cooper NGF. Development of layer IV in rat somatosensory cortex. *Soc Neurosci Abstr* 1990;16:1214.
- Zheng DR, Guan YL, Luo ZB, Yew DT. Scanning electron microscopy of the development of layer I of the human visual cortex (Area 17). *Dev Neurosci* 1990;11:1–10.
- Zilles K. *The Cortex of the Rat. A Stereotaxic Atlas*. Heidelberg: Springer-Verlag, 1985.
- Zilles K, Wree A. Cortex: areal and laminar structure. In: Paxinos G, ed. *The Rat Nervous System, vol. 1: Forebrain and Midbrain*. Sydney: Academic Press, 1985;375–415.
- Zilles K, Wree A, Schleicher A, Divac I. The monocular and binocular subfields of the rat's primary visual cortex: a quantitative morphological approach. *J Comp Neurol* 1984;226:391–402.
- Zilles K, Zilles B, Schleicher A. A quantitative approach to cytoarchitectonics. VI. The areal pattern of the cortex of the albino rat. *Anat Embryol* 1980;159:335–360.