

# Subject Index

---

---

- A**  
Acetylcholine, cortical content, 42  
Acetylcholinesterase, somatosensory cortex content, 184  
Afferent fibers  
  basal telencephalic, 42–44  
  class I, 153, 159  
dopaminergic, 44–45, 69, 72  
  extra-cellular channel ingrowth, 67  
  internal capsules and, 18, 19  
  of locus coeruleus, 44–45  
  monoaminergic, 8, 69  
  neurogenetic gradients, 42–45  
  to raphe nuclei, 45  
  serotonergic, 45, 69  
  to subplate, 69, 70  
  to substantia nigra, 44  
  thalamic, 8, 70  
    growth trajectory, 44  
    input specificity, 208  
  to ventral tegmental area, 44  
Agenesis, corpus callosum, 149  
Allocortex, 186  
Anterior neuron, neurogenetic gradient, 33  
Apical dendrite  
  of cortical plate, 73–75  
  of subplate, 112  
Aplasia, olfactory, 149  
Arhinencephaly, 149  
Astrocyte, production, 57  
Auditory cortex  
  functional re-specification, 208  
  neurogenetic gradients, 161–166, 222–223  
  layer II, 161, 162, 163–165  
  layer III, 161, 162, 163–165  
  layer IV, 161, 162, 163–165  
  layer V, 161–162, 163–164  
  layer VI, 161–162, 163–165  
  longitudinal, 164–165  
  radial, 163  
  thalamocortical connections, 165–166  
  transverse, 163–164
- Autoradiographic labeling, of  
  germinal matrix, 49–64  
  heavily-labeled proliferating cells, 53–62  
  heterogeneity/stratification patterns, 50–64  
  lightly-labeled proliferating cells, 57–63  
  methodology, 49  
  mitotic figure cleavage planes, 50–53  
Autoradiography, methodology, 226–228
- B**  
Barrel subfield, of somatosensory cortex, 167–168, 172–174, 205, 211  
Basal ganglia  
  growth, 117, 221  
  rudiment, 13, 15  
Biocytin, 70
- C**  
Cajal-Retzius cell, 6, 7, 8, 25  
  autoradiographic labeling procedure, 65  
  in cortical plate two-tier structure, 81  
  differentiation, 50  
  dorsomedial neocortical production, 76, 77  
  extra-cellular channel localization, 65–67, 70  
  of layer I, 147, 221–222  
  neurogenesis peak, 140, 147  
  neurogenetic gradients, 31–32, 33  
  primordial plexiform accumulation, 222  
  production, 63  
  within pyramidal cell dendrite tuft, 73, 74  
  synapses, 67  
Callosal zone, 28  
Cell migration, 8–10, 116–127. *See also* Interkinetic nuclear migration  
  to dorsal cortical plate, 121, 123, 124  
  to insular cortical plate, 120, 121  
  to lateral cortical plate, 118–120, 121–125  
  lateral cortical stream, 117–127, 144–146, 211, 221  
  pyknotic cells, 145  
  radial, 116, 124, 127, 139, 206  
  vertical nuclear orientation and, 108  
  radiosensitivity, 143–146  
  to ventrolateral cortical plate, 120, 121, 123, 124  
Cell orientation, determination, 233  
Cell packing density, 108–109  
  determination methods, 232  
Cerebellum, radiosensitivity, 148  
Cerebral cortex  
  abnormalities, 148–149  
  acetylcholine content, 42  
  columnar organization, 139–140  
  primordium, 13, 15–16  
Cerebral palsy, 149  
Chimera  
  genotype radial distribution, 82  
  ontogenetic columns, 206  
Choline acetyltransferase, 43  
Cholinergic neuron, basal telencephalic, 42–44  
Chronoarchitectonic map  
  of locus coeruleus, 45  
  neurogenetic gradients, 30  
Cingulate area, neurogenetic gradients, 193–195, 196  
Colliculus, inferior, auditory cortical projections, 165  
Colliculus, superior, thalamic nucleus projections, 153  
Columnar organization, of cerebral cortex, 139–140  
Congenital abnormalities, cortical, 148–149

- Corpus callosum  
 abnormalities, 149  
 agenesis, 149  
 extra-cellular channels, 65  
 neurogenetic gradients, 22, 36–38
- Cortical neuron. *See also* specific types of cortical neurons  
 migration, 8–9, 10  
 precursor cells, 203–204
- Cortical plate, 5–6, 16–19  
 afferent system ingrowth, 69–70  
 apical dendrites, 73–75  
 cell migration, 8–10, 116–127  
   to dorsal cortical plate, 121, 123, 124  
   to insular cortical plate, 120, 121  
   to lateral cortical plate, 118–120, 121–125  
   radiosensitivity, 143–146  
   to ventrolateral cortical plate, 120, 121, 123, 124  
 cell packing density, 28, 109  
 dopamine axon penetration, 44  
 gray matter, 6  
 heterogeneity, 205  
 layer V neurons, differential distribution, 207–208  
 neuroepithelium formation, 221  
 neurogenesis, 65, 71–72, 221–222  
 neuronal settling, 71  
 nuclear area, 111  
 nuclear orientation, 106, 107, 108, 109, 110, 111–112, 114–115, 222  
 primordial plexiform layer  
   relationship, 68, 71–72, 221–222  
 proliferative cell differentiation, 55  
 radial neurogenetic gradients, 73–82  
 radiosensitivity, 129, 146, 147–148  
 stratification changes, 218  
 subplate blending, 72  
 thickening, 25, 29  
 three-dimensional reconstructions, 23–24, 25  
 two-tier arrangement, 73, 80–82, 222  
 ventricular zone relationship, 117
- Cortical plate morphogenetic foundation, 72
- Cortical wall  
 dorsolateral, 36, 38  
 ventrolateral, 36
- Corticospinal tract, layer V, 181–183
- Cranial nerve V. *See* Trigeminal nerve
- Cyclopia, 149
- Cytochrome oxidase, 168
- Cytomegalovirus, 149
- D**
- Dendrite, apical, of pyramidal cell, 73–75
- Dentate granule cell, radiosensitivity, 148
- Dentate gyrus, radiosensitivity, 148
- Dopaminergic afferent fibers cortical distribution, 72  
 to subplate, 69  
 of substantia nigra, 44, 45  
 of ventral tegmental area, 44, 45
- Dorsomedial neuron, neurogenetic gradients, 33
- Dysplasia, cortical, 149
- E**
- Emotion, limbic cortex and, 186
- Ependyma, 64
- Ependymal cell  
 precursors, 139, 147, 203, 204  
 radiosensitivity, 139, 147, 220
- Ependymal layer/zone, 3, 5, 54, 56
- Ependymogial cell, 127
- Epithelium. *See also* Neuroepithelium  
 olfactory, 13  
 pseudostratified, 4
- Epithelzellen*, 3
- Extracellular channels, 25–26, 65–67
- F**
- Foramen of Monro, 13, 15–16
- Forebrain, embryonic. *See* Prosencephalon
- G**
- Gamma-aminobutyric acid, pyramidal cell content, 36
- Geniculate nucleus  
 auditory cortex connections, 165–166  
 visual cortex connections, 158–160
- Germinal cells, 3–5, 17–18, 203–205.  
*See also* specific types of germinal cells
- Germinal matrix. *See also* Neuroepithelium; Subventricular zone  
 autoradiographic labeling pattern analysis, 49–64  
 heavily-labeled proliferating cells, 53–62  
 heterogeneity/stratification patterns, 50–64  
 lightly-labeled proliferating cells, 57–63  
 methodology, 49  
 cellular heterogeneity/stratification, 50–64  
 mitotic figure cleavage planes, 50–53
- neuron/glia/ependymal cell generation and, 62–64  
 proliferating cell positions, 53–54
- components, 49  
 developmental stages, 216–220
- Glial cell**  
 in cell migration, 116, 124–125, 127  
 cortical neuronal interaction, 8, 9  
 heterogeneity, 139  
 of intermediate zone, 90  
 precursors, 49, 64, 203, 204, 217  
   differentiation from neuronal precursors, 219–220  
   radiosensitivity, 139, 147  
 production, 57  
 radial, 49, 116, 127, 139, 206  
 radiosensitivity, 139, 147, 220  
 as stem cell, 205  
 of third superior band, 220  
 of transitional zone, 90, 95, 98  
 as white matter precursor, 90, 98
- Glial fibrillary acidic protein, 57, 64
- Gray matter**  
 cortical, 204  
 of cortical plate, 6  
 heterotopia, 149
- Gustatory cortex  
 neurogenetic gradients, 188, 190  
 thalamic connections, 187, 198–200
- H**
- Heterotopia, 149
- Hippocampus, radiosensitivity, 148
- Holoprosencephaly, 149
- I**
- Inferior bands**  
 first, 79, 87, 89–91, 118, 220, 221  
   fate, 95–98  
   sequential arrangement, 93–95  
   uniformity, 101–105  
 second, 92–93, 95, 220
- Infralimbic area, neurogenetic gradients, 191–193, 196
- Interkinetic nuclear migration, 50, 203  
 decrease, 218, 219  
 duration, 217  
 in neural tube, 4  
 by neuronal precursor cells, 56  
 synthetic zone/mitotic zone relationship and, 216  
 termination, 54
- Intermediate zone, 5, 25  
 cell migration, 117  
 cell packing density, 109, 113–114  
 components, 83  
 expansion, 29  
 glial cells, 90  
 inferior bands

- first, 79, 87, 89–91, 93–98,  
 101–105, 118, 220, 221  
 second, 118–119  
 layer V pyramidal cells, 83  
 neuronal rotation, 8–10  
 nuclear area, 114  
 nuclear orientation, 106, 107–108,  
 112, 113–115, 125–126, 221  
 proliferative cell differentiation, 55  
 pyknotic cells, 143, 145  
 radiosensitivity, 143–144, 146, 147  
 sojourn zones, 220  
 superior bands  
   second, 85–86, 87, 93–95,  
   98–101, 220–221  
   third, 87–92, 93, 95–98, 220  
 Internal capsule, 18, 19
- K**
- Keimzellen*, 3
- L**
- Lamina  
 intermediate, 5  
 organization  
   paleo/archicortex, 213  
   specificity, 207, 208
- Lateral cortical stream, of cell  
 migration, 117–127, 211, 221  
 pyknotic cells, 145  
 radiosensitivity, 144–146
- Layer I  
 auditory cortex, 165  
 Cajal-Retzius cells, 147, 221–222  
 glial cells, 204  
 limbic cortex, 191–192  
 neurogenesis, 216  
 neurogenetic gradients, 31–32, 33,  
 159, 165  
 pyramidal cell apical dendrite  
   ingrowth, 73–75  
 thalamocortical afferents, 153, 165  
 visual cortex, 159
- Layer II  
 auditory cortex, 161, 162  
   longitudinal neurogenetic  
   gradients, 165  
   radial neurogenetic gradients, 163  
   transverse neurogenetic  
   gradients, 164  
 in cortical plate two-tier structure,  
 81, 82  
 differentiation-related growth, 112  
 glial cells, 204  
 limbic cortex, 188, 190  
   medial, 193  
   neurogenetic gradients, 188  
 motor cortex, 176  
   longitudinal neurogenetic  
   gradients, 181
- radial neurogenetic gradients,  
 176, 177  
 transverse neurogenetic  
 gradients, 178–180  
 neurogenesis, 41–42, 64, 218  
 peak, 205  
 neurogenetic gradients, 33–42, 222  
   longitudinal, 165, 172, 181  
   radial, 154–155, 163, 169–170  
   transverse, 157–158, 164, 170,  
   171, 178–180  
 sojourn zone, 220, 221  
 somatosensory cortex, 90–91, 205,  
 210, 211–212  
   cell migration, 210–211  
   longitudinal neurogenetic  
   gradients, 172  
   radial neurogenetic gradients,  
   168, 169–170  
   transverse neurogenetic  
   gradients, 170, 171  
 subventricular zone, 205  
 transitional zone  
   first inferior band cells, 91, 94–95  
   second inferior band cells, 93  
 visual cortex, 153, 154, 205  
   neurogenetic gradients, 154–155,  
   157–158, 160
- Layer III  
 auditory cortex, 161, 162  
   longitudinal neurogenetic  
   gradients, 165  
   radial neurogenetic gradients, 163  
   transverse neurogenetic  
   gradients, 164  
 in cortical plate two-tier structure,  
 79, 81, 82  
 differentiation-related growth, 112  
 glial cells, 204  
 motor cortex, 90–91, 176  
   longitudinal neurogenetic  
   gradients, 181  
   radial neurogenetic gradients,  
   176, 177  
   transverse neurogenetic  
   gradients, 178–180  
 neurogenesis, 41–42, 64, 218  
 peak, 79, 205  
 neurogenetic gradients, 33–42, 222  
   longitudinal, 165, 172, 181  
   radial, 154–155, 163, 168,  
   169–170, 176, 177  
   transverse, 155–157, 163–164,  
   170, 171, 178–189  
 neuronal settling patterns, 79, 80,  
 81, 82  
 sojourn zone, 220, 221  
 somatosensory cortex, 167, 205  
   anterolateral distribution,  
   211–212  
   barrel subfields, 173  
   longitudinal neurogenetic  
   gradients, 172  
   radial neurogenetic gradients,  
   168, 169–170  
   thalamic relay axon interactions,  
   174  
   transverse neurogenetic  
   gradients, 170, 171  
 subventricular zone, 205  
 thalamocortical connections, 153,  
 160, 165, 174, 211–212
- radial neurogenetic gradients,  
 168, 169–170  
 transverse neurogenetic  
 gradients, 170, 171  
 subventricular zone, 205  
 transitional zone, first inferior band  
 cells, 87, 91, 94–95  
 visual cortex, 205  
   neurogenetic gradients, 154–155,  
   157, 160
- Layer IV  
 auditory cortex, 161, 162  
   longitudinal neurogenetic  
   gradients, 165  
   radial neurogenetic gradients, 163  
   thalamocortical projections, 165  
   transverse neurogenetic  
   gradients, 163–164  
 cell migration, 221  
 in cortical plate two-tier structure,  
 79, 80, 81, 82  
 differentiation-related growth, 112  
 glial cells, 204  
 gustatory cortex, 187  
 limbic cortex, 189, 190  
   medial, 191–192, 194–195, 197  
 motor cortex, 87–89, 104–105, 176  
   longitudinal neurogenetic  
   gradients, 181  
   radial neurogenetic gradients,  
   176, 177  
   transverse neurogenetic  
   gradients, 178–179  
 neurogenesis, 41–42, 64, 218  
 peak, 79, 80, 205  
 neurogenetic gradients, 33–42, 222  
   longitudinal, 165, 172, 181  
   radial, 154–155, 163, 168,  
   169–170, 176, 177  
   transverse, 155–157, 163–164,  
   170, 171, 178–189  
 neuronal settling patterns, 79, 80,  
 81, 82  
 sojourn zone, 220, 221  
 somatosensory cortex, 167, 205  
   anterolateral distribution,  
   211–212  
   barrel subfields, 173  
   longitudinal neurogenetic  
   gradients, 172  
   radial neurogenetic gradients,  
   168, 169–170  
   thalamic relay axon interactions,  
   174  
   transverse neurogenetic  
   gradients, 170, 171  
 subventricular zone, 205  
 thalamocortical connections, 153,  
 160, 165, 174, 211–212

- Layer IV (*contd.*)  
 transitional zone, 83  
   differential distribution, 101–105  
   first inferior band cells, 87–89,  
     94–95, 101–105  
 visual cortex, 205  
   neurogenetic gradients, 154–157,  
     160  
   thalamocortical connections, 159,  
     160
- Layer V  
 agranular insular cortex, 189  
 auditory cortex, 161–162  
   radial neurogenetic gradients, 163  
   transverse neurogenetic  
   gradients, 163–164  
 corticospinal tract, 181–183  
 differentiation-related growth, 112  
 glial cells, 204  
 heterotopia, 149  
 laminar specificity, 207  
 limbic cortex, 189–190  
   medial, 193, 194–195, 197  
   neurogenesis onset, 188  
 motor cortex, 176  
   longitudinal neurogenetic  
   gradients, 180–181  
   radial neurogenetic gradients,  
     176, 177  
   transverse neurogenetic  
   gradients, 178–179  
 neurogenesis, 41, 64, 217, 218  
   completion, 80  
   concurrent, 80, 82  
   peak, 205  
 neurogenetic gradients, 33–42, 222  
   longitudinal, 154, 155, 171, 172,  
     180–181  
   radial, 163, 168, 169–170, 176,  
     177  
   transverse, 155–157, 163–164,  
     170, 171, 178–179  
 neuronal co-generation, 222  
 neuronal settling patterns, 78–82  
 occipital, 206  
 regional specificity, 207–208  
 sojourn zone, 220–221  
 somatosensory cortex, 205  
   longitudinal neurogenetic  
   gradients, 171, 172  
   radial neurogenetic gradients,  
     168, 169–170  
   transverse neurogenetic  
   gradients, 170, 171  
 subventricular zone, 205  
 transitional zone, 83, 105  
   differentiation, 98  
   second superior band cells, 86,  
     87, 93, 94, 98–101  
 visual cortex, 153–154, 205  
   neurogenetic gradients, 154–155,  
     156  
   thalamocortical connections, 159
- Layer VI, 28  
 auditory cortex, 161–162  
   longitudinal neurogenetic  
   gradients, 165  
   radial neurogenetic gradients, 163  
   transverse neurogenetic  
   gradients, 163–164  
 in cortical plate two-tier structure,  
   78, 79, 81, 82  
 differentiation-related growth, 112  
 dorsomedial neocortical production,  
   78  
 glial cells, 204  
 limbic cortex, 72, 190  
 motor cortex  
   longitudinal neurogenetic  
   gradients, 180–181  
   radial neurogenetic gradients,  
     176, 177  
   transverse neurogenetic  
   gradients, 178–179  
 neurogenesis, 38–41, 64, 217  
   concurrent, 80, 82  
   dorsomedial, 78  
   peak, 205  
 neurogenetic gradients, 33–42, 222  
   longitudinal, 165, 171–172  
   radial, 163, 168, 169–170, 176,  
     177  
   transverse, 163–164, 170, 171,  
     178–179  
 neuronal accumulation patterns, 72  
 neuronal co-generation, 222  
 perirhinal cortex, 187–188  
 sojourn zone, 220, 221  
 somatosensory cortex, 205  
   longitudinal neurogenetic  
   gradients, 171–172  
   radial neurogenetic gradients,  
     168, 169–170  
   transverse neurogenetic  
   gradients, 170, 171  
 thalamocortical afferents, 153  
 transitional zone, 67, 83  
   superior band cells, 86, 87, 93, 94  
 visual cortex, 153–154, 205  
   neurogenesis gradients, 154–155,  
     156  
   thalamocortical connections, 159
- Layer VII  
 glial cells, 204  
 neurogenesis, 216  
 transitional field, 67
- Lectin, 57
- Limbic cortex  
 behavioral function, 186  
 definition, 186  
 dopamine innervation, 44, 186  
 mediodorsal thalamic nuclei  
   projections, 186  
 neurogenetic gradients, 33–36, 41,  
   197–198  
   ventrolateral-to-dorsomedial, 40  
 paleo/archicortex ontogenetic link,  
   213–215  
 subplate/cortical plate blending, 72
- Limbic cortex, lateral  
 agranular insular, dorsal location,  
   187  
   neurogenetic gradients, 188,  
     189–190  
 agranular insular, ventral  
   location, 187  
   neurogenetic gradients, 188  
 components, 186  
 neurogenetic gradients, 187–190,  
   223  
   longitudinal, 188–190  
   radial, 188  
   transverse, 188  
 perirhinal cortex  
   layer V cells, 41  
   location, 187–188  
 in rhinal sulcus, 189
- Limbic cortex, medial  
 components, 186  
 neocortical gradient reversal, 213  
 neurogenetic gradients, 42, 45,  
   191–197, 223  
   cingulate area, 193–195, 196  
   dorsal peduncular area, 191–192,  
     196  
   infralimbic area, 191–193, 196  
   inter-area, 197  
   longitudinal, 191  
   radial, 191  
   retrosplenial area, 195–197  
   somatic neocortical relationship,  
     191  
   raphe nuclei projections, 45  
   thalamic anterior nuclei connection,  
     198–200
- Limbic system. *See also* specific  
 areas of limbic system  
 definition, 186
- Lissencephaly, 149
- Locus coeruleus, neocortical afferent  
 inputs, 44–45
- M**
- Marginal zone, 6, 7
- Mental retardation, 149
- Mitotic cells/figures  
 cellular stratification, 61  
 cleavage planes, 50–53, 203, 204  
 interkinetic nuclear migration, 4,  
   50, 56, 203, 216, 217, 218, 219  
 paraventricular, 50, 53, 57, 216, 217

- periventricular, 50, 53, 216, 217, 218  
 during early neurogenesis, 63  
 radiosensitivity, 134  
 of subplate zone, 95  
 subventricular, 50, 51, 52, 54, 63, 217
- Mitotic zone, 53–54, 55, 56  
 synthetic zone relationship, 216, 218
- Monoaminergic fibers, neocortical, 8  
 subplate content, 69
- Monoclonal antibody J1, 57
- Mosaicism, neuroepithelial, 206, 207, 208
- Motor cortex, 175–185  
 neurogenetic gradients, 40, 41, 42, 176–184, 223  
 corticospinal tract outgrowth  
 correlation, 181–183  
 layer II, 176–181  
 layer III, 90–91, 163–165  
 layer IV, 87–89, 104–105, 176–181  
 layer V, 176–181  
 layer VI, 86, 87, 104, 176–181  
 longitudinal, 180–181  
 radial, 176–178  
 thalamocortical projection  
 correlation, 183–184  
 transverse, 178–180, 185  
 somatosensory cortex overlap, 168  
 ventrolateral thalamic nucleus  
 projections, 175
- N**
- Neocortex. *See also* specific areas of neocortex  
 cortical evolution and, 213–215  
 cytoarchitectonic differentiation, 98–105  
 deep layers, 80. *See also* Layer V; Layer VI  
 dorsomedial, 25–29  
 Cajal-Retzius neuron production, 76, 77  
 neurogenetic gradients, 33–36  
 peak neurogenesis, 67, 78  
 stratification patterns, 61–62  
 subplate neurogenesis peak, 67  
 dual phylogenetic origin, 7–8, 33, 65, 213  
 extra-cellular channels, 25–26, 65–67  
 histogenesis, 5–10, 25–29  
 monoaminergic fibers, 8  
 morphogenesis, 17–25  
 coronal sections, 17–23  
 three-dimensional  
 reconstructions, 23–25
- neurogenesis onset, 18  
 neurogenetic gradients, 18, 30–45  
 afferent fiber inputs, 42–45  
 chronoarchitectonic map, 30  
 subplate, 31–33  
 primordium delineation, 129–135  
 radiosensitivity, 128–149  
 developmental change and, 135–142  
 neuroepithelium collapse and, 129–143  
 two-stage development, 7–8, 33, 65, 213  
 volumetric increase, 17–23
- Nerve growth factor, 43–44
- Neural groove, stem cells, 3
- Neural plate, stem cells, 3
- Neural tube  
 caudal, 5  
 germinal cells, 4  
 interkinetic nuclear migration, 4  
 stem cells, 3
- Neuroectoderm, stem cells, 3
- Neuroepithelium  
 cellular heterogeneity, 49, 138–139, 205–208, 216, 218–220  
 epigenetic concept, 205–206  
 preformationist concept, 206  
 synthetic concept, 207–208  
 collapse, 129–143  
 autographic/radiosensitivity  
 correlation, 135–142  
 cellular basis, 142–143  
 gradients, 133  
 heterotopia and, 149  
 migrating neuron sensitivity, 143–146  
 pyknosis and, 129, 130, 132, 134, 135, 140, 142  
 as columnar mosaic, 206  
 of cortical plate, 221  
 during early neurogenesis, 63  
 of ependymal zone, 54, 56  
 fast-cycling cells, 139  
 germinal cells, 3, 17–18, 203–205  
 laminar specificity, 207, 208  
 during late-stage neurogenesis, 64  
 as layer IV–II cell source, 95  
 during middle-stage neurogenesis, 63  
 mitotic cells/figures  
 cellular stratification, 61  
 cleavage planes, 50–53, 203, 204  
 interkinetic nuclear migration, 4, 50, 56, 203, 216, 217, 218, 219  
 paraventricular, 50, 53, 57, 216, 217  
 periventricular, 50, 53, 63, 134, 216, 217, 218  
 of subplate zone, 95  
 subventricular, 50, 51, 52, 54, 63, 217  
 mitotic zone, 53–54, 55, 56, 216, 218  
 nuclear area, 110  
 properties, 3–4  
 of prosencephalic wall, 11, 15  
 pseudostratification, 50  
 shrinkage, 88  
 slow-cycling cells, 139  
 of sojourn zones, 220  
 stratification changes, 218  
 of subventricular zone, 5  
 successive transformations, 81  
 of synthetic zone, 53–54, 55, 56  
 telencephalic, 4  
 collapse, 129–130  
 terminology, 3  
 thalamic, 16, 52  
 thinning, 25, 29
- Neurogenesis peak, 205
- Neurogenetic gradients, 30–45. *See also* under specific neocortical areas and layers  
 afferent growth implications, 42–45  
 chronoarchitectonic map, 30  
 longitudinal, 222, 223  
 noncortical, 32  
 phylogenetic implications, 213–215  
 radial, 73–82, 222  
 transverse, 222, 223
- Neuroglia cell, 3
- Neuron precursor, glial cell  
 differentiation, 219–220
- Noradrenalin, 45
- Noradrenergic neuron, of locus coeruleus, 44–45
- Nuclear area, 109–115  
 determination method, 232–233
- Nuclear orientation, 106–115  
 cortical plate, 106, 107, 108, 109, 110, 111–112, 114–115  
 intermediate zone, 106, 107, 108, 112, 113–115  
 subplate, 106, 107, 109, 110, 111, 112  
 subventricular zone, 106, 107, 109, 112–113, 114–115  
 ventricular zone, 106, 107, 108, 109, 110, 111, 114
- O**
- Occipital cortex, layer V neurons, 206
- Occipital pole, neuroepithelium  
 collapse, 133
- Olfactory aplasia, 149
- Olfactory cortex, 213, 215
- Olfactory placode, 11, 12, 13, 15
- Ontogenetic column hypothesis, 206
- Opposum, global cortical gradients, 33

- Optic tectum  
 extra-cellular channels, 65  
 ontogenetic columns, 206
- Orbital cortex, neurogenetic gradients, 197–198
- P**
- Pachygyria, 149
- Papez circuit, 186
- Paraventricular mitotic cell, 50, 53, 57, 216, 217
- Parietal bone, somatosensory cortex coverage, 168–169, 170–174, 223
- Periarchicortex, 186, 213–215
- Peripaleocortex, 186, 213–215
- Perirhinal cortex  
 layer V cells, 41  
 location, 187–188
- Periventricular germinal matrix, disease of, 149
- Periventricular mitotic cells, 50, 53, 63, 216, 217, 218  
 radiosensitivity, 134
- Pial membrane  
 Cajal-Retzius neurons, 66, 67  
 pyramidal cell plexus, 73, 75
- Piriform cortex, neuronal settling, 124
- Polymicrogyria, 149
- Polymorph neuron, 70, 71, 222  
 extra-cellular channel localization, 65
- Posterior neuron, neurogenetic gradient, 33
- Primordial plexiform layer, 7–8, 25, 65–72. *See also* Layer I; Subplate  
 Cajal-Retzius cell differentiation, 50  
 cortical plate relationship, 68, 71–72, 221–222  
 nerve growth factor fibers, 43–44  
 neurogenesis, 221–222  
 neurogenetic gradients, 33  
 partitioning, 68–70, 71–72  
 as reptilian cortex, 65
- Proisocortex, 186
- Prosencephalon  
 development, 11–16  
 neuroepithelium, 16
- Purkinje cell, radiosensitivity, 148
- Pyknosis  
 in intermediate zone, 143, 145  
 neuroepithelium collapse and, 129, 130, 132, 134, 135, 140, 142  
 of subventricular zone, 143  
 of synthetic zone, 139
- Pyramidal cell  
 apical dendrites, 73–75  
 differentiation, 6–7  
 gamma-aminobutyric acid-containing, 36  
 radial neurogenetic gradients, 73–82  
 somatosensory, 169
- R**
- Radial glia hypothesis, of cell migration, 116, 124, 127, 139, 206
- Raphe nuclei, neocortical afferent inputs, 45
- Rathke's pouch, 12
- Retina, ontogenetic columns, 206
- Retinogeniculate projection, 158–160
- Retrosplinal area, limbic, 195–197
- Rhinal sulcus  
 layer VI neurons, 38, 39–40  
 neurogenetic gradients, 189
- S**
- Sensory cortex, general, 213
- Serotonin  
 afferent fibers, 45, 69  
 raphe nuclei production, 45  
 subplate content, 69
- Sojourn zones, 93, 218, 220–221
- Somatosensory cortex, 167–174  
 acetylcholinesterase content, 184  
 barrel subfields, 167–168, 172–174, 205, 211  
 cholinergic markers, 184  
 motor cortex overlap, 168  
 neurogenetic gradients, 222, 223  
 layer II, 90–91, 168–172, 205, 210, 211–212  
 layer III, 168–172, 205  
 layer IV, 167–172, 205  
 layer V, 168–172, 205  
 layer VI, 169–172, 205  
 longitudinal, 171–172  
 radial, 169–170  
 thalamocortical projection  
 correlation, 173–174  
 transverse, 170–171  
 parietal bone coverage, 168  
 PAR1, 168–169, 170–172, 173–174  
 PAR2, 168, 169, 170–171, 223  
 thalamic ventrobasal complex projection, 167  
 ventrobasal complex connections, 184
- Somatostatin, 36
- Spinal cord, extra-cellular channels, 65
- Spongioblast, 3, 4
- Statistical analysis, methodology, 229
- Stem cell, 3, 17–18, 49, 203–205. *See also* specific types of stem cells
- Subplate, 7–8  
 as afferent target, 70, 212  
 apical dendrite plexus, 112  
 autographic labeling procedure, 65  
 as cortical plate morphogenetic foundation, 72  
 cortical plate settling patterns, 77–78  
 dopamine axons, 44  
 dual nature of, 95  
 first appearance, 19  
 inferior band cells, 95  
 layer IV, 83–84  
 mitotic cells, 95  
 neurogenesis peak, 67, 78  
 neurogenetic gradients, 31–33, 40, 222  
 ventrolateral/dorsomedial, 72  
 neuronal settling, 67–70, 77–78  
 nuclear area, 111  
 nuclear orientation, 106, 107–108, 109, 110, 111, 112  
 polymorph cells, 70, 71, 222  
 as premigratory staging area, 95  
 in primordial plexiform layer  
 partitioning, 69, 71–72, 222  
 proliferative cell differentiation, 56  
 radiosensitivity, 148  
 synaptic contacts, 70  
 upper, 72
- Substantia nigra, dopaminergic afferent fibers, 44, 45
- Subventricular zone, 25, 216–217  
 appearance, 54–55, 57  
 cell migration, 117  
 cell packing density, 109  
 cell proliferation, 55, 56, 57, 63  
 of early neocortex, 63  
 expansion, 64  
 inferior bands  
 first, 79, 87, 89–91, 93–98, 101–105, 118, 220, 221  
 second, 92–93, 95, 220  
 of middle-stage neocortex, 63  
 mitotic cells/figures, 50, 51, 52, 54, 63, 217  
 neuroepithelium, 5  
 neurogenetic gradients, 54, 55–56, 57  
 nuclear orientation, 106, 107–108, 109, 112–113, 114–115  
 pyknotic cells, 143  
 radiosensitivity, 143–144, 146, 147  
 as secondary germinal matrix, 63  
 sojourn zones, 220  
 thalamic, 52  
 thickening, 28  
 thinning, 27, 29
- Succinic dehydrogenase, 168
- Superior bands  
 first, 220  
 second, 85–86, 87, 220–221  
 regional differences, 98–101  
 sequential arrangement, 93–95

- third, 87–92, 93, 220  
cell fates, 95–98
- Synapse  
of Cajal-Retzius neurons, 67  
first appearance, 67
- Synthetic zone, 4, 53–54, 55, 56  
cell proliferation, 62  
dissolution, 54  
mitotic zone relationship, 216, 218  
neuronal aggregation, 136, 216  
pyknosis, 139
- T**
- Taste, primary afferents, 198–199
- Telencephalic vesicles, paired, 11–16
- Telencephalon  
basal  
afferent inputs, 42–44  
dorsal expansion, 18  
presumptive, 129–130  
circumferential fiber band, 127  
lateral, 130  
neuroepithelium, 4  
collapse, 129–130  
neurogenesis onset, 18
- Tenia tecta, dorsal, 191
- Thalamocortical connections  
auditory cortex, 165–166  
input specificity, 208  
limbic cortex, 198–200  
motor cortex, 175, 183–184  
neurogenetic gradient relationship, 208–213  
somatosensory cortex, 167, 173–174, 184  
visual cortex, 153, 158–160
- Thalamus  
afferent fibers, 8  
growth trajectory, 44  
to subplate plexus, 70  
arcuate subdivision, 173.  
epigenetic influence of, 208  
lateral posterior nucleus, visual  
cortex projections, 153  
neuroepithelium, 16, 52  
neurogenesis, 35–36  
synchronized, 212  
retinogeniculate projection, 158–160  
ventrobasal complex,  
somatosensory cortex  
connections, 167, 184  
ventrolateral nucleus  
function, 209  
motor cortex connections, 175, 183–184  
neurogenetic gradients, 209, 211  
ventromedial nucleus  
function, 209  
neurogenetic gradients, 209, 211
- Transitional field, 18–19, 22  
cell migration, 221  
definition, 83  
developmental events, 220–221  
layer VI neurons, 67  
layer VII neurons, 67  
sojourn zones, 218, 220–221  
somatic orientation, 221  
stratification gradients, 83–105, 218  
cortical cytoarchitectonic  
differentiation and, 98–105  
first inferior band, 79, 87, 89–91, 93–98, 101–105  
first superior band, 85, 86, 87, 93–95, 98–101  
second inferior band, 92–93, 95  
second superior band, 85–86, 87, 93–95, 105  
third superior band, 87–92, 95–98  
transient gradient, 95  
wave front, 93  
three-dimensional reconstructions, 23, 24
- Trigeminal nerve, afferent pathway, 173
- V**
- Ventral tegmental area, dopamine  
afferent fibers, 44, 45, 72
- Ventricle  
lateral, 18  
third, 15, 16
- “Ventricular choke” hypothesis, 52, 203
- Ventricular zone  
cell packing density, 109, 110, 111  
cortical plate relationship, 117  
definition, 3  
dorsomedial shrinkage, 67  
nuclear area, 110–111  
nuclear orientation, 106, 107–108, 109, 110, 111, 114  
piriform cortex-settling cells, 124  
radiosensitivity, 146, 146–147  
three-dimensional reconstructions, 23–24, 25
- Ventriculitis, cytomegalovirus, 149
- Ventrolateral neuron, neurogenetic  
gradients, 33
- Visual cortex, 153–160  
dopamine innervation, 44  
layer IV cells, 42  
layer V cells, 41  
neurogenetic gradients, 33, 159, 222, 223  
ocular cortex 1B, 153, 154  
neurogenetic gradients, 155, 156, 157–158  
thalamocortical connections, 159  
ocular cortex 2L, 154  
neurogenetic gradients, 155, 156, 157  
retinotopic map, 153  
thalamocortical connections, 159  
ocular cortex 1M, 153, 154  
neurogenetic gradients, 155, 156, 157–158  
thalamocortical connections, 159  
ocular cortex 2M, 153, 154  
neurogenetic gradients, 155, 156, 157, 160  
retinotopic map, 153  
sandwich neurogenetic gradients, 157–158  
thalamocortical/neurogenetic  
gradient connections, 158–160
- W**
- White matter, 22  
glial cell precursors, 90, 98  
heterotopia, 149  
incipient, 19  
third superior band coextension, 97–98
- X**
- x-irradiation studies, 128–149  
acute paradigm, 128, 129  
behavioral studies, 148–149  
cortical primordium delineation, 129–135  
differential radiosensitivity, 135–142  
age factors, 143–146  
ependymal cell sensitivity, 220  
glial cell sensitivity, 220  
hazardous long-term effects, 148–149  
longitudinal paradigm, 128  
neuroepithelium collapse, 129–143  
radiosensitivity quantitative  
analysis, 146–148